(1) GENERAL INFORMATION:

(i) APPLICANT: GOTO, Masaaki

TSUDA, Eisuke

MOCHIZUKI, Shin'ichi YANO, Kazuki

KOBAYASHI, Fumie SHIMA, Nobuyuki YASUDA, Hisataka

NAKAGAWA, Nobuaki MORINAGA, Tomonori UEDA, Masatsugu HIGASHIO, Kanji

(ii) TITLE OF INVENTION: Novel Proteins and Methods for Producing the Proteins

SEP 0 7 1999

(iii) NUMBER OF SEQUENCES: 108

(iv) CORRESPONDENCE ADDRESS:

- (A) ADDRESSEE: Testa, Hurwitz & Thibeault(B) STREET: 125 High St.
- (C) CITY: Boston
- (D) STATE: MA
- (E) COUNTRY: USA
- (F) ZIP: 02110

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk (B) COMPUTER: IBM PC compatible (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.30

(vi) CURRENT APPLICATION DATA:

- (A) APPLICATION NUMBER: US 09/338,063 (B) FILING DATE: 23-JUN-1999 (C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: JP 54977/1995
- (B) FILING DATE: 20-FEB-1995

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: JP 207508/1995
- (B) FILING DATE: 21-JUL-1995

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: PCT/JP96/00374
- (B) FILING DATE: 20-FEB-1996

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 08/915,004 (B) FILING DATE: 20-AUG-1997

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: MOORE, Ronda P.(B) REGISTRATION NUMBER: 44,244
- (C) REFERENCE/DOCKET NUMBER: FJN-060DV2

(ix) TELECOMMUNICATION INFORMATION:
(A) TELEPHONE: (617) 248-7000
(B) TELEFAX: (617) 248-7100

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide

(ix) FEATURE: (A) NAME/KEY: Peptide (B) LOCATION: 1..6 (D) OTHER INFORMATION: /note= "(an internal amino acid sequence of the protein)" (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: Xaa Tyr His Phe Pro Lys (2) INFORMATION FOR SEQ ID NO:2: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 14 amino acids (B) TYPE: amino acid (C) STRANDEDNESS:
(D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (ix) FEATURE: (A) NAME/KEY: Peptide (B) LOCATION: 1..14 (D) OTHER INFORMATION: /note= "(an internal amino acid sequence of the protein)" (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2: Xaa Gln His Ser Xaa Gln Glu Gln Thr Phe Gln Leu Xaa Lys (2) INFORMATION FOR SEQ ID NO:3: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 12 amino acids (B) TYPE: amino acid (C) STRANDEDNESS:
(D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (ix) FEATURE: (A) NAME/KEY: Peptide (B) LOCATION: 1..12 (D) OTHER INFORMATION: /note= "(an internal amino acid sequence of the protein)" (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3: Xaa Ile Arg Phe Leu His Ser Phe Thr Met Tyr Lys (2) INFORMATION FOR SEQ ID NO:4: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 380 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (ii) MOLECULE TYPE: protein (ix) FEATURE: (A) NAME/KEY: Protein
(B) LOCATION: 1..380
(D) OTHER INFORMATION: /note= "(OCIF protein without) signal peptide)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4: Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp Glu Glu Thr Ser His
1 10 15 Gln Leu Cys Asp Lys Cys Pro Pro Gly Thr Tyr Leu Lys Gln His 20 25 30Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro Cys Pro Asp His Tyr 35 40 45 Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys Leu Tyr Cys Ser Pro 50 60 Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu Cys Asn Arg Thr His 65 70 75 80 Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr Leu Glu Ile Glu Phe 85 90 95 Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg Cys Pro Asp Gly Phe 115 120 125Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys Arg Lys His Thr Asn 130 140 Cys Ser Val Phe Gly Leu Leu Thr Gln Lys Gly Asn Ala Thr His 145 150 155 Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr Gln Lys Cys Gly Ile 165 170 175 Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val Asp Asn Leu Pro Gly 195 200 Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile Lys Arg Gln His Ser 210 225 220 Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu Trp Lys His Gln Asn 225 230 235 Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln Asp Ile Asp Leu Cys 245 250 255 Glu Asn Ser Val Gln Arg His Ile Gly His Ala Asn Leu Thr Phe Glu 260 265 270Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly Lys Lys Val Gly Ala 275 280 285 Glu Asp Ile Glu Lys Thr Ile Lys Ala Cys Lys Pro Ser Asp Gln Ile 290 295 300 Leu Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn Gly Asp Gln Asp Thr 305 310 315Leu Lys Gly Leu Met His Ala Leu Lys His Ser Lys Thr Tyr His Phe 325 330 335 Pro Lys Thr Val Thr Gln Ser Leu Lys Lys Thr Ile Arg Phe Leu His 340 345 350Ser Phe Thr Met Tyr Lys Leu Tyr Gln Lys Leu Phe Leu Glu Met Ile 355 360 365 Gly Asn Gln Val Gln Ser Val Lys Ile Ser Cys Leu 370 375 380

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 401 amino acids
- (B) TYPE: amino acid (C) STRANDEDNESS:
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..380
 - (D) OTHER INFORMATION: /note= "(OCIF protein)"
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
 - (D) OTHER INFORMATION: /note= "(signal peptide)"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:
- Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15 -10
- Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp -5 10
- Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25
- Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro $30 \hspace{1cm} 35 \hspace{1cm} 40$
- Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55
- Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75
- Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90
- Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 $^{\prime}$ 100 $^{\prime}$ 105
- Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg 110 115 120
- Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135
- Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Thr Gln Lys 140 150 155
- Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170
- Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg 175 180
- Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val
- Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile 205 210 215
- Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235
- Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245 250
- Asp Ile Asp Leu Cys Glu Asn Ser Val Gln Arg His Ile Gly His Ala 255 260 265
- Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly 270 275 280

Lys Lys Val Gly Ala Glu Asp Ile Glu Lys Thr Ile Lys Ala Cys Lys 285 290 295 Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn 300 Gly Asp Gln Asp Thr Leu Lys Gly Leu Met His Ala Leu Lys His Ser Ile Arg Phe Leu His Ser Phe Thr Met Tyr Lys Leu Tyr Gln Lys Leu Phe Leu Glu Met Ile Gly Asn Gln Val Gln Ser Val Lys Ile Ser Cys 365 370 375

Leu 380

(2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1206 base pairs
 - (B) TYPE: nucleic acid (C) STRANDEDNESS: single

 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (ix) FEATURE:
 - (A) NAME/KEY:
 - (B) LOCATION: 1..1206
 - (D) OTHER INFORMATION: /note= "(OCIF)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

ATGAACAACT TGC	TGTGCTG CGCGCTCGTC	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT TTC	CTCCAAA GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT GTC	CTCCTGG TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC CTT	GCCCTGA CCACTACTAC	CACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA GCC	CCGTGTG CAAGGAGCTC	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG TGT	GCGAATG CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	3.60
CATAGGAGCT GCC	CTCCTGG ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA GAT	GTCCAGA TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA CAAA	ATTGCAG TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA TATO	GTTCCGG AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC	.600
CTGTGTGAGG AGG	CATTOTT CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG TAG	ACAATTT GCCTGGCACO	AAAGTAAACG	CAGAGAGTGT	AGAGAGGAȚA	720
AAACGGCAAC ACAG	GCTCACA AGAACAGACI	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780
AACAAAGACC AAGA	ATATAGT CAAGAAGATO	: ATCCAAGATA	TTGACCTCTG	TGAAAACAGC	840
GTGCAGCGGC ACA	TTGGACA TGCTAACCTC	ACCTTCGAGC	AGCTTCGTAG	CTTGATGGAA	900
AGCTTACCGG GAA	AGAAAGT GGGAGCAGAA	GACATTGAAA	AAACAATAAA	GGCATGCAAA	960
CCCAGTGACC AGA	TCCTGAA GCTGCTCAGI	TTGTGGCGAA	TAAAAAATGG	CGACCAAGAC	1020
ACCTTGAAGG GCC	TAATGCA CGCACTAAAC	CACTCAAAGA	CGTACCACTT	TCCCAAAACT	1080

		7			,	
GTCACTCAGA	GTCTAAAGAA	GACCATCAGG	TTCCTTCACA	GCTTCACAAT	GTACAAATTG	1140
TATCAGAAGT	TATTTTTAGA	AATGATAGGT	AACCAGGTCC	AATCAGTAAA	AATAAGCTGC	1200
TTATAA				•		1206
(2) INFORM	ATION FOR SI	EQ ID NO:7:				

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids

 - (B) TYPE: amino acid

 - (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide (B) LOCATION: 1..15
- (D) OTHER INFORMATION: /note= "(a N-terminal amino acid sequence of the protein)"
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp Glu Glu Thr Ser 1 5 15

- (2) INFORMATION FOR SEQ ID NO:8:
 - (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1185 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single

 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..1185
 - (D) OTHER INFORMATION: /note= "(OCIF2)"
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGTGC	AATCGCACCC	ACAACCGCGT	GTGCGAATGC	300
AAGGAAGGGC	GCTACCTTGA	GATAGAGTTC	TGCTTGAAAC	ATAGGAGCTG	CCCTCCTGGA	360
TTTGGAGTGG	TGCAAGCTGG	AACCCCAGAG	CGAAATACAG	TTTGCAAAAG	ATGTCCAGAT	420
GGGTTCTTCT	CAAATGAGAC	GTCATCTAAA	GCACCCTGTA	GAAAACACAC	AAATTGCAGT	480
GTCTTTGGTC	TCCTGCTAAC	TCAGAAAGGA	AATGCAACAC	ACGACAACAT	ATGTTCCGGA	540
AACAGTGAAT	CAACTCAAAA	ATGTGGAATA	GATGTTACCC	TGTGTGAGGA	GGCATTCTTC	600
AGGTTTGCTG	TTCCTACAAA	GTTTACGCCT	AACTGGCTTA	GTGTCTTGGT	AGACAATTTG	660
CCTGGCACCA	AAGTAAACGC	AGAGAGTGTA	GAGAGGATAA	AACGGCAACA	CAGCTCACAA	720
GAACAGACTT	TCCAGCTGCT	GAAGTTATGG	AAACATCAAA	ACAAAGACCA	AGATATAGTC	780
AAGAAGATCA	TCCAAGATAT	TGACCTCTGT	GAAAACAGCG	TGCAGCGGCA	CATTGGACAT	840
GCTAACCTCA	CCTTCGAGCA	GCTTCGTAGC	TTGATGGAAA	GCTTACCGGG	AAAGAAAGTG	900

GGAGCAGAAG	ACATTGAAAA	AACAATAAAG	GCATGCAAAC	CCAGTGACCA	GATCCTGAAG	960
CTGCTCAGTT	TGTGGCGAAT	AAAAAATGGC	GACCAAGACA	CCTTGAAGGG	CCTAATGCAC	1020
GCACTAAAGC	ACTCAAAGAC	GTACCACTTT	CCCAAAACTG	TCACTCAGAG	TCTAAAGAAG	1080
ACCATCAGGT	TCCTTCACAG	CTTCACAATG	TACAAATTGT	ATCAGAAGTT	ATTTTTAGAA	1140
ATGATAGGTA	ACCAGGTCCA	ATCAGTAAAA	ATAAGCTGCT	TATAA	•	1185
					•	

(2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 394 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 (B) LOCATION: 1..373

 - (D) OTHER INFORMATION: /note= "(OCIF2)"
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide (B) LOCATION: -21..0
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:
- Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
- Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
 -5 1 10
- Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25
- Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro $30 \hspace{1cm} 35 \hspace{1cm} 40$
- Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys
 45 50 55
- Leu Tyr Cys Ser Pro Val Cys Lys Glu Cys Asn Arg Thr His Asn Arg 60 70 75
- Val Cys Glu Cys Lys Glu Gly Arg Tyr Leu Glu Ile Glu Phe Cys Leu 80 85 90
- Lys His Arg Ser Cys Pro Pro Gly Phe Gly Val Val Gln Ala Gly Thr 95 100 105
- Pro Glu Arg Asn Thr Val Cys Lys Arg Cys Pro Asp Gly Phe Phe Ser 110 115 120
- Asn Glu Thr Ser Ser Lys Ala Pro Cys Arg Lys His Thr Asn Cys Ser 125 130 135
- Val Phe Gly Leu Leu Thr Gln Lys Gly Asn Ala Thr His Asp Asn 140 145 150 150
- Ile Cys Ser Gly Asn Ser Glu Ser Thr Gln Lys Cys Gly Ile Asp Val 160 165 170
- Thr Leu Cys Glu Glu Ala Phe Phe Arg Phe Ala Val Pro Thr Lys Phe 175 180 185
- Thr Pro Asn Trp Leu Ser Val Leu Val Asp Asn Leu Pro Gly Thr Lys
 190 195 200
- Val Asn Ala Glu Ser Val Glu Arg Ile Lys Arg Gln His Ser Ser Gln

205 210 215

Glu Gln Thr Phe Gln Leu Lys Leu Trp Lys His Gln Asn Lys Asp 235

Gln Asp Ile Val Lys Lys Ile Ile Gln Asp Ile Asp Leu Cys Glu Asn Ser Val Gln Arg His Ile Gly His Ala Asn Leu Thr Phe Glu Gln Leu 255

Arg Ser Leu Met Glu Ser Leu Pro Gly Lys Lys Val Gly Ala Glu Asp 280

Ile Glu Lys Thr Ile Lys Ala Cys Lys Pro Ser Asp Gln Ile Leu Lys 290

Leu Ser Leu Trp Arg Ile Lys Asn Gly Asp Gln Asp Thr Leu Lys 315

Gly Leu Met His Ala Leu Lys His Ser Lys Thr Tyr His Phe Pro Lys 315

Thr Val Thr Gln Ser Leu Tyr Gln Lys Leu Phe Leu Glu Met Ile Gly Asn Gln Val Gln Ser Val Lys Ile Ser Cys Leu

The Val Gln Ser Val Lys Ile Ser Cys Leu

The Cys Leu Ser Leu Glu Met Ile Gly Asn Gln Asp Thr Leu Lys 335

Gln Val Gln Ser Val Lys Ile Ser Cys Leu

(2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1089 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..1089
 - (D) OTHER INFORMATION: /note= "(OCIF3)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

ATGAACAAGT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	. 60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC	600
CTGTGTGAGG	AGGCATTCTT	CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780

AACAAAGACC AA	GATATAGT CAAG	AAGATC ATCCA	AAGATA TTGACC	TCTG TGAAAACAG	C 840
GTGCAGCGGC AC	ATTGGACA TGCT	AACCTC AGTTT	GTGGC GAATAA	AAAA TGGCGACC	À 900
GACACCTTGA AG	GGCCTAAT GCAC	GCACTA AAGCA	ACTCAA AGACGT	ACCA CTTTCCCA	A 960
ACTGTCACTC AG	AGTCTAAA GAAG	ACCATC AGGTT	CCTTC ACAGCT	TCAC AATGTACAA	A 1020
TTGTATCAGA AG	TTATTTTT AGAA	ATGATA GGTAA	ACCAGG TCCAAT	CAGT AAAAATAAG	C 1080
TGCTTATAA					1089

(2) INFORMATION FOR SEQ ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 362 amino acids
 - (B) TYPE: amino acid
 - STRANDEDNESS: (C)
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:

- (A) NAME/KEY: Protein (B) LOCATION: 1..341
- (D) OTHER INFORMATION: /note= "(OCIF3)"

(ix) FEATURE:

- (A) NAME/KEY: Peptide
- (B) LOCATION: -21..0

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Met Asn Lys Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15 -10

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 40

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 65 70 75

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 105

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg 110 115 120

Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135

Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Leu Thr Gln Lys 140 150 150

Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170

Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg 175 180 185

Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val

(2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 465 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - (B) LOCATION: 1..465
 - (D) OTHER INFORMATION: /note= "(OCIF4)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

ATGAACAAGT TGCTGTGCTG CTCGCTCGTG TTTCTGGACA TCTCCATTAA GTGGACCACC 60 CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA TCAGCTGTTG 120 TGTGACAAAT GTCCTCCTGG TACCTACCTA AAACAACACT GTACAGCAAA GTGGAAGACC 180 GTGTGCGCCC CTTGCCCTGA CCACTACTAC ACAGACAGCT GGCACACCAG TGACGAGTGT 240 CTATACTGCA GCCCCGTGTG CAAGGAGCTG CAGTACGTCA AGCAGGAGTG CAATCGCACC 300 CACAACCGCG TGTGCGAATG CAAGGAAGGG CGCTACCTTG AGATAGAGTT CTGCTTGAAA 360 CATAGGAGCT GCCCTCCTGG ATTTGGAGTG GTGCAAGCTG GTACGTGTCA ATGTGCAGCA 420 AAATTAATTA GGATCATGCA AAGTCAGATA GTTGTGACAG TTTAG 465

(2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 154 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..133
 - (D) OTHER INFORMATION: /note= "(OCIF4)"

1	ix'	FEATURE:

(A) NAME/KEY: Peptide (B) LOCATION: -21..0

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Met Asn Lys Leu Leu Cys Cys Ser Leu Val Phe Leu Asp Ile Ser Ile -20 -15

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp -5 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr
15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro $30 \hspace{1cm} 35 \hspace{1cm} 40$

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 105

Gly Val Val Gln Ala Gly Thr Cys Gln Cys Ala Ala Lys Leu Ile Arg 110 115 120

Ile Met Gln Ser Gln Ile Val Val Thr Val 125 130

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 438 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..438
- (D) OTHER INFORMATION: /note= "(OCIF5)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

ATGAACAAGT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA GTGGACCACC 60 CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA TCAGCTGTTG 120 TGTGACAAAT GTCCTCCTGG TACCTACCTA AAACAACACT GTACAGCAAA GTGGAAGACC 180 GTGTGCGCCC CTTGCCCTGA CCACTACTAC ACAGACAGCT GGCACACCAG TGACGAGTGT 240 CTATACTGCA GCCCCGTGTG CAAGGAGCTG CAGTACGTCA AGCAGGAGTG CAATCGCACC 300 CACAACCGCG TGTGCGAATG CAAGGAAGGG CGCTACCTTG AGATAGAGTT CTGCTTGAAA 360 CATAGGAGCT GCCCTCCTGG ATTTGGAGTG GTGCAAGCTG GATGCAGGAG AAGACCCAAG 420 CCACAGATAT GTATCTGA 438

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 145 amino acids

- (B) TYPE: amino acid
- STRANDEDNESS:
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Protein (B) LOCATION: 1..124

 - (D) OTHER INFORMATION: /note= "(OCIF5)"
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Met Asn Lys Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
-20
-15

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
-5 1 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr
15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 35 40

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys
45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe

Gly Val Val Gln Ala Gly Cys Arg Arg Pro Lys Pro Gln Ile Cys 110 115

Ile

- (2) INFORMATION FOR SEQ ID NO:16:
 - (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 20 base pairs

 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ix) FEATURE:
 - (A) NAME/KEY:
 - (B) LOCATION: 1..20
 - OTHER INFORMATION: /note= "synthetic DNA (primer T3)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

AATTAACCCT CACTAAAGGG

20

- (2) INFORMATION FOR SEQ ID NO:17:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

	(ix)	(B)	RE: NAME/KEY: - LOCATION: 122 OTHER INFORMATION: /note= "synthetic DNA	(primer	т7)"	·
	(xi)	SEQUE	NCE DESCRIPTION: SEQ ID NO:17:			
GTA	ATACG/	AC TCA	CTATAGG GC			22
(2)	INFO	RMATIO	N FOR SEQ ID NO:18:			
	(i)	(A) (B) (C)	NCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear			
	(ix)	(B)	RE: NAME/KEY: - LOCATION: 120 OTHER INFORMATION: /note= "synthetic DNA	(primer	IF1)"	
	(xi)	SEQUE	NCE DESCRIPTION: SEQ ID NO:18:			
ACA:	rcaaa <i>i</i>	AC AAA	GACCAAG			20
(2)	INFO	RMATIO	N FOR SEQ ID NO:19:			
	(i)	(A) (B) (C)	NCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear			· ¯
	(ix)	(B)	RE: NAME/KEY: - LOCATION: 120 OTHER INFORMATION: /note= "synthetic DNA	(primer	IF2)"	
	(xi)	SEQUE	NCE DESCRIPTION: SEQ ID NO:19:			
TCT	rggtc:	TT TGT	TTTGATG			20
(2)	INFO	RMATIO	N FOR SEQ ID NO:20:			
	(i)	(A) (B) (C)	NCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear			
	(ix)	(B)	RE: NAME/KEY: - LOCATION: 120 OTHER INFORMATION: /note= "synthetic DNA	(primer	IF3)"	
	(xi)	SEQUE	NCE DESCRIPTION: SEQ ID NO:20:		,	
TTA	rtcgc	CA CAA	ACTGAGC		•	20
(2)	INFO	RMATIO	N FOR SEQ ID NO:21:		•	
	(i)	(A)	NCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid			

b

		(D) TOPOLOGY: linear			•
	(ix)	FEATURE: (A) NAME/KEY: - (B) LOCATION: 120 (D) OTHER INFORMATION: /note= "synthetic DNA	(primer	IF4)"	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:21:	, -		-
TTGT	GAAG(CT GTGAAGGAAC			20
(2)	INFO	RMATION FOR SEQ ID NO:22:	•		
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear			
	(ix)	FEATURE:		•	
	(111)	(A) NAME/KEY: - (B) LOCATION: 120 (D) OTHER INFORMATION: /note= "synthetic DNA"	(primer	IF5)"	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:22:			
GCTC	CAGTT	TG TGGCGAATAA			20
(2)	INFO	RMATION FOR SEQ ID NO:23:		:	• •
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear			
	(ix)	FEATURE: (A) NAME/KEY: - (B) LOCATION: 120 (D) OTHER INFORMATION: /note= "synthetic DNA"	(primer	IF6)"	*.
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:23:			
GTGG	GAGC	AG AAGACATTGA			20
(2)	INFO	RMATION FOR SEQ ID NO:24:			
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear			
	(ix)	FEATURE: (A) NAME/KEY: - (B) LOCATION: 120 (D) OTHER INFORMATION: /note= "synthetic DNA"	(primer	IF7)"	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:24:	•		
AATO	GAACA	AC TTGCTGTGCT			20"
(2)	TNFO	RMATION FOR SEC ID NO:25:		•	

(C) STRANDEDNESS: single

1 +t

(i)	(A) (B) (C)	ENCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear		•	
(ix)	(B)	URE: NAME/KEY: - LOCATION: 120 OTHER INFORMATION: /note= "synthetic DNA	(primer	IF8)"	
(xi)	SEQUI	ENCE DESCRIPTION: SEQ ID NO:25:			
TGACAAAT	GT CC	FCCTGGTA			20
(2) INFO	RMATI	ON FOR SEQ ID NO:26:			
(i)	(A) (B) (C)	ENCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear		,·	
(ix)	(B)	URE: NAME/KEY: - LOCATION: 120 OTHER INFORMATION: /note= "synthetic DNA	(primer	IF9)"	
(xi)	SEQUI	ENCE DESCRIPTION: SEQ ID NO:26:		• .	
AGGTAGGT	AC CA	GGAGGACA			20
(2) INFO	RMATIO	ON FOR SEQ ID NO:27:			
(i)	(A) (B) (C)	ENCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear			
			•	•	•
(ix)	(B)	NAME/KEY: - LOCATION: 120			
IF10)"	(D)	OTHER INFORMATION: /note= "synthetic DNA	(primer		٠.
(xi)	SEQUE	ENCE DESCRIPTION: SEQ ID NO:27:			
GAGCTGCC	CT CC	rggatttg			20
(2) INFO	RMATIO	ON FOR SEQ ID NO:28:		٠.	
(i)	(A) (B) (C)	ENCE CHARACTERISTICS: LENGTH: 20 base pairs TYPE: nucleic acid STRANDEDNESS: single TOPOLOGY: linear		·.	
(ix)	(B)	JRE: NAME/KEY: - LOCATION: 120 OTHER INFORMATION: /note= "synthetic DNA	(primer		

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

IF11)"

CAAACTGTAT TTCGCTCTGG		20
(2) INFORMATION FOR SEQ ID NO:29:		
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	:	•
<pre>(ix) FEATURE:</pre>		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:		
GTGTGAGGAG GCATTCTTCA		20
(2) INFORMATION FOR SEQ ID NO:30:		• •
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 32 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear		
<pre>(ix) FEATURE: (A) NAME/KEY: - (B) LOCATION: 132 (D) OTHER INFORMATION: /note= "synthetic DNA (primer</pre>		
C19SF) "		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:		
GAATCAACTC AAAAAAGTGG AATAGATGTT AC		32
(2) INFORMATION FOR SEQ ID NO:31:		
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 32 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 		
<pre>(ix) FEATURE:</pre>		-
(1938)		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:		
GTAACATCTA TTCCACTTTT TTGAGTTGAT TC		32
(2) INFORMATION FOR SEQ ID NO:32:		-
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 		•

.

(ix) FEATURE:

(A) NAME/KEY: - (B) LOCATION: 130 (D) OTHER INFORMATION: /note= "synthetic DNA (primer C20SF)"	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:	. • • • •
ATAGATGTTA CCCTGAGTGA GGAGGCATTC	30
(2) INFORMATION FOR SEQ ID NO:33:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	# Ž *
(ix) FEATURE: (A) NAME/KEY: - (B) LOCATION: 130 (D) OTHER INFORMATION: (note: "synthetic DNA (primer	
(D) OTHER INFORMATION: /note= "synthetic DNA (primer C20SR)"	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:	
GAATGCCTCC TCACTCAGGG TAACATCTAT	30
(2) INFORMATION FOR SEQ ID NO:34:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 31 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
<pre>(ix) FEATURE: (A) NAME/KEY: - (B) LOCATION: 131 (D) OTHER INFORMATION: /note= "synthetic DNA (primer C21SF)"</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:	
CAAGATATTG ACCTCAGTGA AAACAGCGTG C	31
(2) INFORMATION FOR SEQ ID NO:35:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
<pre>(ix) FEATURE: (A) NAME/KEY: - (B) LOCATION: 131 (D) OTHER INFORMATION: /note= "synthetic DNA (primer C21SR)"</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:	
GCACGCTGTT TTCACTGAGG GCAATATCTT G	31
(2) INFORMATION FOR SEQ ID NO:36:	

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs

	(C)	TYPE: nuclei STRANDEDNESS TOPOLOGY: li	: singl	le					
(ix) C22SF)"	(B) (D)	RE: NAME/KEY: - LOCATION: 1. OTHER INFORM		/note=	"synthetic	c DNA	(primer		
(xi)	SEQUE	NCE DESCRIPT	ION: SE	EQ ID NO):36:				
AAAACAATA	A AGG	CAAGCAA ACCC	AGTGAC	С				3	1
(2) INFOR	OITAMS	N FOR SEQ ID	NO:37:	:					
(i)	(A) (B) (C)	NCE CHARACTE LENGTH: 31 b TYPE: nuclei STRANDEDNESS TOPOLOGY: li	ase pai c acid : singl	irs					
								•	
	(B) (D)	RE: NAME/KEY: - LOCATION: 1. OTHER INFORM		/note=	"synthetic	c DNA	(primer		
C22SR)"	1				-				
(xi)	SEQUE	NCE DESCRIPT	ION: SE	EQ ID NO):37:				
GGTCACTGG	G TTI	GCTTGCC TTTA	TTGTTT	T				3	1
(2) INFOR	MATIC	N FOR SEQ ID	NO:38:	:					
(i)	(A) (B) (C)	NCE CHARACTE LENGTH: 31 b TYPE: nuclei STRANDEDNESS TOPOLOGY: li	ase pai c acid : singl	rs					
(ix)		NAME/KEY: -							
	(D)	LOCATION: 1. OTHER INFORM	.31 ATION:	/note=	"synthetic	DNA	(primer		
C23SF)"									
(xi)	SEQUE	NCE DESCRIPT	ION: SE	Q ID NO	:38:				
TCAGTAAAA	A TAA	GCAGCTT ATAA	CTGGCC	A				3:	1
(2) INFOR	MATIC	N FOR SEQ ID	NO:39:						
(i)	(A) (B) (C)	NCE CHARACTE LENGTH: 31 b TYPE: nuclei STRANDEDNESS TOPOLOGY: li	ase pai c acid : singl	rs				·	
(ix) C23SR)"	(B) (D)	RE: NAME/KEY: - LOCATION: 1. OTHER INFORM	.31 ATION:	/note=	"synthetic	: DNA	(primer		

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

TGGCCAGTTA	TAAGCTGCTT ATTTTTACTG A		3	1
(2) INFORMA	ATION FOR SEQ ID NO:40:			
(QUENCE CHARACTERISTICS: (A) LENGTH: 22 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	· .		•
(CATURE: (A) NAME/KEY: - (B) LOCATION: 122 (D) OTHER INFORMATION: /note= "synthetic DNA	(primer		
(xi) SE	QUENCE DESCRIPTION: SEQ ID NO:40:			
TTGGGGTTTA	TTGGAGGAGA TG	-	2	2
(2) INFORMA	ATION FOR SEQ ID NO:41:			
(QUENCE CHARACTERISTICS: A) LENGTH: 36 base pairs B) TYPE: nucleic acid C) STRANDEDNESS: single D) TOPOLOGY: linear			٠
(ATURE: A) NAME/KEY: - B) LOCATION: 136 D) OTHER INFORMATION: /note= "synthetic DNA	(primer		
DCR1F)"				
(xi) SE	QUENCE DESCRIPTION: SEQ ID NO:41:			
ACCACCCAGG	AACCTTGCCC TGACCACTAC TACACA		.30	6
(2) INFORMA	TION FOR SEQ ID NO:42:			
(QUENCE CHARACTERISTICS: A) LENGTH: 36 base pairs B) TYPE: nucleic acid C) STRANDEDNESS: single D) TOPOLOGY: linear			
(ATURE: A) NAME/KEY: - B) LOCATION: 136 D) OTHER INFORMATION: /note= "synthetic DNA	(primer		
DCR1R)"	-			
(xi) SE	QUENCE DESCRIPTION: SEQ ID NO:42:		*	
GTCAGGGCAA	GGTTCCTGGG TGGTCCACTT AATGGA		36	6
(2) INFORMA	TION FOR SEQ ID NO:43:			
	QUENCE CHARACTERISTICS: A) LENGTH: 36 base pairs B) TYPE: nucleic acid C) STRANDEDNESS: single D) TOPOLOGY: linear		•	

(ix) FEATURE:

(B) I (D) C	NAME/KEY: - LOCATION: 136 OTHER INFORMATION:	/note= "s	ynthetic D	NA (prim	er	·
DCR2F)"						
(xi) SEQUEN	NCE DESCRIPTION: SE	EQ ID NO:4	3:			
ACCGTGTGCG CCGA	AATGCAA GGAAGGGCGC	TACCTT				36
(2) INFORMATION	N FOR SEQ ID NO:44:	:				
(A) I (B) T (C) S	NCE CHARACTERISTICS LENGTH: 36 base pai TYPE: nucleic acid STRANDEDNESS: singl TOPOLOGY: linear	lrs				
(B) I	RE: NAME/KEY: - LOCATION: 136 DTHER INFORMATION:	/note= "s	ynthetic D	NA (prim	er	
(xi) SEQUEN	NCE DESCRIPTION: SE	EQ ID NO:4	4:			
TTCCTTGCAT TCG	GCGCACA CGGTCTTCCA	CTTTGC				36
(2) INFORMATION	N FOR SEQ ID NO:45:	:				•
(A) I (B) 7 (C) 5	NCE CHARACTERISTICS LENGTH: 36 base pai TYPE: nucleic acid STRANDEDNESS: singl TOPOLOGY: linear	irs				
(B) I	RE: NAME/KEY: - LOCATION: 136 DTHER INFORMATION:	/note= "s	ynthetic D	NA (prim	er	
(xi) SEQUEN	NCE DESCRIPTION: SE	EQ ID NO:4	5:			
AACCGCGTGT GCAC	SATGTCC AGATGGGTTC	TTCTCA				36
(2) INFORMATION	N FOR SEQ ID NO:46	:				
(A) I (B) 1 (C) S	NCE CHARACTERISTICS LENGTH: 36 base pair TYPE: nucleic acid STRANDEDNESS: singl TOPOLOGY: linear	irs		·		
(B) I	RE: NAME/KEY: - LOCATION: 136 DTHER INFORMATION:	/note= "s	ynthetic D	NA (prim	er ·	: •
(xi) SEQUEN	NCE DESCRIPTION: SE	EQ ID NO:4	6:			
ATCTGGÄCAT CTG	CACACGC GGTTGTGGGT	GCGATT				36
(2) INFORMATION	N FOR SEQ ID NO:47:	· ,				
(i) SEQUEN (A) I	NCE CHARACTERISTICS LENGTH: 36 base pai	S: Lrs				

	(B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ix)	FEATURE: (A) NAME/KEY: - (B) LOCATION: 136 (D) OTHER INFORMATION: /note= "synthetic DNA (primer")"	· .
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:47:	
ACAGTTTGC	CA AATCCGGAAA CAGTGAATCA ACTCAA	36
(2) INFOR	RMATION FOR SEQ ID NO:48:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 36 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ix) DCR4R)"	FEATURE: (A) NAME/KEY: - (B) LOCATION: 136 (D) OTHER INFORMATION: /note= "synthetic DNA (primer")"	• -
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:48:	
ACTGTTTCC	CG GATTTGCAAA CTGTATTTCG CTCTGG	36
(2) INFOR	RMATION FOR SEQ ID NO:49:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 36 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	. ,
(ix)	FEATURE: (A) NAME/KEY: - (B) LOCATION: 136 (D) OTHER INFORMATION: /note= "synthetic DNA (primer"	•
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:49:	
AATGTGGAA	AT AGATATTGAC CTCTGTGAAA ACAGCG	36
(2) INFOR	RMATION FOR SEQ ID NO:50:	•
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 36 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	i.
(ix)	FEATURE: (A) NAME/KEY: - (B) LOCATION: 136 (D) OTHER INFORMATION: /note= "synthetic DNA (primer"	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

DDD1R)"

(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ix) FEATURE:

IF	16)"	(B)	NAME/KEY: LOCATION: OTHER INFO	120	/note=	"synthetic	DNA	(primer		· .
	(xi)	SEQUI	ENCE DESCR	IPTION: SE	EQ ID NO	:54:		•		
TTTG	AGTG	CT TT	AGTGCGTG							20
(2)	INFO	RMATI	ON FOR SEQ	ID NO:55	:					
	(i)	(A) (B) (C)	ENCE CHARAGE LENGTH: 30 TYPE: nucleon STRANDEDNI TOPOLOGY:	O base pai leic acid ESS: singl	irs					·.
F)		(B)	NAME/KEY: LOCATION:	130	/note=	"synthetic	DNA	(primer	CL	
	(xi)	SEOU	ENCE DESCR	IPTION: SE	EO ID NO):55:		•		•
TCAG			AGCTAACT G		~					30
(2)	INFO	RMATIO	ON FOR SEQ	ID NO:56	:					
, - ,		SEQUI (A) (B) (C)	ENCE CHARAGE LENGTH: 30 TYPE: nuc. STRANDEDNI TOPOLOGY:	CTERISTICS 0 base pai leic acid ESS: sing	S: irs					
R)		(B)	NAME/KEY: LOCATION:	130	/note=	"synthetic	DNA	(primer	CL	
	(xi)	SEQUI	ENCE DESCR	IPTION: SE	EQ ID NO):56:				
GGCC	TTTA	, CC AG'	TTAGCTTA T	TTTTACTGA						30
(2)	INFO	RMATIO	ON FOR SEQ	ID NO:57	:					
	(i)	(A) (B) (C)	ENCE CHARAGE LENGTH: 25 TYPE: nuc. STRANDEDNI TOPOLOGY:	9 base par leic acid ESS: singl	irs					
										• •
R)		(B)	NAME/KEY: LOCATION:	129	/note=	"synthetic	DNA	(primer	cc	
	(xi)	SEOU	ENCE DESCR	IPTION: SE	EO ID NO):57:				
CCGG			TGCTTTAG TO							29
		-	ON FOR SEQ		.					
. *		SEQUI	ENCE CHARAGE LENGTH: 2	CTERISTICS	3:				,	

86

. .

		(C) STRANDEDNESS: single (D) TOPOLOGY: linear		÷,
R)		FEATURE: (A) NAME/KEY: - (B) LOCATION: 129 (D) OTHER INFORMATION: /note= "synthetic DNA (primer	CCD2	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:58:		
CCGG	SATCC:	TC ATTGGATGAT CTTCTTGAC	2	29
(2)	INFO	RMATION FOR SEQ ID NO:59:		
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 29 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear		
	()	DETAILINE.		
	(1X)	FEATURE: (A) NAME/KEY: -		
R)	11	(B) LOCATION: 129 (D) OTHER INFORMATION: /note= "synthetic DNA (primer	CCD1	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:59:		
CCGG	SATCC'	TC ATATTCCACA TTTTTGAGT	4	29
(2)	INFO	RMATION FOR SEQ ID NO:60:		
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 29 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear		
R)	•	FEATURE: (A) NAME/KEY: - (B) LOCATION: 129 (D) OTHER INFORMATION: /note= "synthetic DNA (primer	CCR4	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:60:		
CCGG	SATCC'	TC ATTTGCAAAC TGTATTTCG	2	29
(2)	INFO	RMATION FOR SEQ ID NO:61:	• -	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 29 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear		
R)	п	FEATURE: (A) NAME/KEY: - (B) LOCATION: 129 (D) OTHER INFORMATION: /note= "synthetic DNA (primer	CCR3	
	(X1)	SEQUENCE DESCRIPTION: SEQ ID NO:61:		

CCGGATCCTC ATTCGCACAC GCGGTTGTG

(2) INFORMATION FOR SEQ ID NO:62:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 401 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..380
 - (D) OTHER INFORMATION: /note= "OCIF-C19S"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:
- Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
 -20 -15 -10
- Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp -5 10
- Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr
- Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 35 40
- Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys
 45
 50
- Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75
- Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 90
- Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 105
- Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg
- Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135
- Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Leu Thr Gln Lys 140 150 150 155
- Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170
- Gln Lys Ser Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg 175 180 185
- Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val
- Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile 205 210 215
- Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235 230 235
- Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245



 Asp
 Leu 255
 Cys
 Glu Asn Ser 260
 Gln Arg His Ile 265
 His Ala 265
 His Ala 265
 Ala 265
 Ala Ala 265
 Ala 275
 Ser Leu Met Glu Met Glu Ser Leu Pro Gly 280
 Leu Pro Gly 315
 Ala Pro Gly 315
 Ala

(2) INFORMATION FOR SEQ ID NO:63:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 401 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..380
 - (D) OTHER INFORMATION: /note= "OCIF-C20S"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:
- Met Asn Asn Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
 -20 -15 -10
- Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
 -5 1 10
- Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr
- Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro $30 \hspace{1cm} 35 \hspace{1cm} 40 \hspace{1cm}$
- Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55
- Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75
- Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90
- Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 105
- Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg

Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135 Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Thr Gln Lys 140 150 150Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170. Gln Lys Cys Gly Ile Asp Val Thr Leu Ser Glu Glu Ala Phe Phe Arg 175Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val 190 195 200 Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile 205 210 215 Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235 230 Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245 250 Asp Ile Asp Leu Cys Glu Asn Ser Val Gln Arg His Ile Gly His Ala 255 260 265 Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly 270 275 Lys Lys Val Gly Ala Glu Asp Ile Glu Lys Thr Ile Lys Ala Cys Lys 285 290 295 Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn 300 310 315 Gly Asp Gln Asp Thr Leu Lys Gly Leu Met His Ala Leu Lys His Ser 320 325 330Lys Thr Tyr His Phe Pro Lys Thr Val Thr Gln Ser Leu Lys Lys Thr 335 340 345Ile Arg Phe Leu His Ser Phe Thr Met Tyr Lys Leu Tyr Gln Lys Leu 350 355 360 Phe Leu Glu Met Ile Gly Asn Gln Val Gln Ser Val Lys Ile Ser Cys 365 370 375 Leu 380

(2) INFORMATION FOR SEQ ID NO:64:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 401 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..380
 - (D) OTHER INFORMATION: /note= "OCIF-C21S"
- (xi) SEQUENCE DESCRIPTION: SEO ID NO:64:
- Met Asn Asn Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15 -10

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 35 40Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55 Leu Týr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg 110 115 120Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Leu Thr Gln Lys 140 150 150Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg 175 180 185Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val 190 195 200 Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile 205 210 215Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235 Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245 250Asp Ile Asp Leu Ser Glu Asn Ser Val Gln Arg His Ile Gly His Ala 255 260 265Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly 270 275 Lys Lys Val Gly Ala Glu Asp Ile Glu Lys Thr Ile Lys Ala Cys Lys 285 290 295 Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn 300 315 Gly Asp Gln Asp Thr Leu Lys Gly Leu Met His Ala Leu Lys His Ser 320 325 330 Lys Thr Tyr His Phe Pro Lys Thr Val Thr Gln Ser Leu Lys Lys Thr 335 345Ile Arg Phe Leu His Ser Phe Thr Met Tyr Lys Leu Tyr Gln Lys Leu 350 360Phe Leu Glu Met Ile Gly Asn Gln Val Gln Ser Val Lys Ile Ser Cys 365 370 375Leu 380

(2) INFORMATION FOR SEQ ID NO:65:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 401 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:

(A) NAME/KEY: Peptide (B) LOCATION: -21..0

(ix) FEATURE:

(A) NAME/KEY: Protein (B) LOCATION: 1..380

(D) OTHER INFORMATION: /note= "OCIF-C22S"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

Met Asn Asn Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15 -10

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr
15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 40

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys
45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 105

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg 110 120

Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135

Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Thr Gln Lys 140 150 150

Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr

Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg 175 180 185

Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val 190 200

Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile 205 210

Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235 230

Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245

Asp Ile Asp Leu Cys Glu Asn Ser Val Gln Arg His Ile Gly His Ala 255 260 265

Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly 270 275 280

Lys Lys Val Gly Ala Glu Asp Ile Glu Lys Thr Ile Lys Ala Ser Lys 285 290 295 Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn 300 Gly Asp Gln Asp Thr Leu Lys Gly Leu Met His Ala Leu Lys His Ser $320 \hspace{1cm} 325 \hspace{1cm} 330$ Lys Thr Tyr His Phe Pro Lys Thr Val Thr Gln Ser Leu Lys Lys Thr 335 345Ile Arg Phe Leu His Ser Phe Thr Met Tyr Lys Leu Tyr Gln Lys Leu 350 360 Phe Leu Glu Met Ile Gly Asn Gln Val Gln Ser Val Lys Ile Ser Cys 365 370 375 Leu 380

(2) INFORMATION FOR SEQ ID NO:66:

- (i) SEQUENCE CHARACTERISTICS:
 - LENGTH: 401 amino acids
 - TYPE: amino acid STRANDEDNESS:

 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 (B) LOCATION: 1..380

 - (D) OTHER INFORMATION: /note= "OCIF-C23S"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:
- Met Asn Asn Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15-20
- Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp -5 10
- Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25
- Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 35 40
- Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50
- Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75
- Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90
- Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe
- Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg
- Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125
- Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Thr Gln Lys 140 145 150 150

Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile 205 210 215 Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235 230 235 Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245 250Asp Ile Asp Leu Cys Glu Asn Ser Val Gln Arg His Ile Gly His Ala 255 260 265 Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly 270 275 280 Lys Lys Val Gly Ala Glu Asp Ile Glu Lys Thr Ile Lys Ala Cys Lys 285 290 295 Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn 300 315 Gly Asp Gln Asp Thr Leu Lys Gly Leu Met His Ala Leu Lys His Ser 320 325 330 Lys Thr Tyr His Phe Pro Lys Thr Val Thr Gln Ser Leu Lys Lys Thr Ile Arg Phe Leu His Ser Phe Thr Met Tyr Lys Leu Tyr Gln Lys Leu 350 360Phe Leu Glu Met Ile Gly Asn Gln Val Gln Ser Val Lys Ile Ser Ser 365 370 375 Leu 380

(2) INFORMATION FOR SEQ ID NO:67:

- (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 360 amino acids

 - (B) TYPE: amino acid


 - (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..339
 - (D) OTHER INFORMATION: /note= "OCIF-DCR1"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:
- Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
 -20 -15 -10
- Lys Trp Thr Thr Gln Glu Pro Cys Pro Asp His Tyr Tyr Thr Asp Ser
 -5 1 10
- Trp His Thr Ser Asp Glu Cys Leu Tyr Cys Ser Pro Val Cys Lys Glu 15 20 25



Leu Gln Tyr Val Lys Gln Glu Cys Asn Arg Thr His Asn Arg Val Cys 30 35 40Glu Cys Lys Glu Gly Arg Tyr Leu Glu Ile Glu Phe Cys Leu Lys His
45 50 55 Arg Ser Cys Pro Pro Gly Phe Gly Val Val Gln Ala Gly Thr Pro Glu 60 70 75Arg Asn Thr Val Cys Lys Arg Cys Pro Asp Gly Phe Phe Ser Asn Glu 80 85 90 Thr Ser Ser Lys Ala Pro Cys Arg Lys His Thr Asn Cys Ser Val Phe 95 100 105 Gly Leu Leu Thr Gln Lys Gly Asn Ala Thr His Asp Asn Ile Cys 110 115Ser Gly Asn Ser Glu Ser Thr Gln Lys Cys Gly Ile Asp Val Thr Leu 125 130 135Cys Glu Glu Ala Phe Phe Arg Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val Asp Asn Leu Pro Gly Thr Lys Val Asn 160 165 170Ala Glu Ser Val Glu Arg Ile Lys Arg Gln His Ser Ser Gln Glu Gln 175 180 185Thr Phe Gln Leu Leu Lys Leu Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln Asp Ile Asp Leu Cys Glu Asn Ser Val 205 210 Gln Arg His Ile Gly His Ala Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly Lys Lys Val Gly Ala Glu Asp Ile Glu 240 245 250 . Lys Thr Ile Lys Ala Cys Lys Pro Ser Asp Gln Ile Leu Lys Leu Leu 255 260 265 Ser Leu Trp Arg Ile Lys Asn Gly Asp Gln Asp Thr Leu Lys Gly Leu 270 275 280 Met His Ala Leu Lys His Ser Lys Thr Tyr His Phe Pro Lys Thr Val 285 290 295 Thr Gln Ser Leu Lys Lys Thr Ile Arg Phe Leu His Ser Phe Thr Met 300 305 310 Tyr Lys Leu Tyr Gln Lys Leu Phe Leu Glu Met Ile Gly Asn Gln Val $320 \ \ 325 \ \ 330$ Gln Ser Val Lys Ile Ser Cys Leu 335

(2) INFORMATION FOR SEQ ID NO:68:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 359 amino acids
 - B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 (B) LOCATION: -21..0
- (ix) FEATURE:



- 1..338 LOCATION:
- (D) OTHER INFORMATION: /note= "OCIF-DCR2"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
-20 -15 -10 Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp -5 10 Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr
15 20 25 Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Glu $30 \hspace{1cm} 35 \hspace{1cm} 40$ Cys Lys Glu Gly Arg Tyr Leu Glu Ile Glu Phe Cys Leu Lys His Arg 45 50 55 Ser Cys Pro Pro Gly Phe Gly Val Val Gln Ala Gly Thr Pro Glu Arg 60 70 75 Asn Thr Val Cys Lys Arg Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr 80 85 90 Ser Ser Lys Ala Pro Cys Arg Lys His Thr Asn Cys Ser Val Phe Gly 95 100 105Leu Leu Thr Gln Lys Gly Asn Ala Thr His Asp Asn Ile Cys Ser 110 115 120Gly Asn Ser Glu Ser Thr Gln Lys Cys Gly Ile Asp Val Thr Leu Cys 125 130 135 Glu Glu Ala Phe Phe Arg Phe Ala Val Pro Thr Lys Phe Thr Pro Asn 140 150 155Trp Leu Ser Val Leu Val Asp Asn Leu Pro Gly Thr Lys Val Asn Ala 160 165 170Glu Ser Val Glu Arg Ile Lys Arg Gln His Ser Ser Gln Glu Gln Thr 175 180 185 Phe Gln Leu Lys Leu Trp Lys His Gln Asn Lys Asp Gln Asp Ile 190 195 200 Val Lys Lys Ile Ile Gln Asp Ile Asp Leu Cys Glu Asn Ser Val Gln 205 210 215 Arg His Ile Gly His Ala Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu 220 235 230 235 Met Glu Ser Leu Pro Gly Lys Lys Val Gly Ala Glu Asp Ile Glu Lys 240 245 ... 250 Thr Ile Lys Ala Cys Lys Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser 255 260 265 Leu Trp Arg Ile Lys Asn Gly Asp Gln Asp Thr Leu Lys Gly Leu Met 270 280 His Ala Leu Lys His Ser Lys Thr Tyr His Phe Pro Lys Thr Val Thr 285 290 295 Gln Ser Leu Lys Lys Thr Ile Arg Phe Leu His Ser Phe Thr Met Tyr 300 315 Lys Leu Tyr Gln Lys Leu Phe Leu Glu Met Ile Gly Asn Gln Val Gln 320 325 330 Ser Val Lys Ile Ser Cys Leu

(2) INFORMATION FOR SEQ ID NO:69:

335

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 363 amino acids

(B) TYPE: amino acid
(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:

(A) NAME/KEY: Peptide (B) LOCATION: -21..0

(ix) FEATURE:

(A) NAME/KEY: Protein

(B) LOCATION: 1..342

(D) OTHER INFORMATION: /note= "OCIF-DCR3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
-20 -15 -10

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
-5 1 5 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 40

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75

Cys Asn Arg Thr His Asn Arg Val Cys Arg Cys Pro Asp Gly Phe Phe 80 85 90

Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys Arg Lys His Thr Asn Cys 95 100 105

Ser Val Phe Gly Leu Leu Leu Thr Gln Lys Gly Asn Ala Thr His Asp 110 115 120

Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr Gln Lys Cys Gly Ile Asp 125 130

Val Thr Leu Cys Glu Glu Ala Phe Phe Arg Phe Ala Val Pro Thr Lys 140 145 150 150

Phe Thr Pro Asn Trp Leu Ser Val Leu Val Asp Asn Leu Pro Gly Thr 160 165 170

Lys Val Asn Ala Glu Ser Val Glu Arg Ile Lys Arg Gln His Ser Ser 175 180 185

Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu Trp Lys His Gln Asn Lys 190 195 200

Asp Gln Asp Ile Val Lys Lys Ile Ile Gln Asp Ile Asp Leu Cys Glu 205 $\,$ 210 $\,$ 215

Asn Ser Val Gln Arg His Ile Gly His Ala Asn Leu Thr Phe Glu Gln 220 230 235

Leu Arg Ser Leu Met Glu Ser Leu Pro Gly Lys Lys Val Gly Ala Glu 240 245 250

Asp Ile Glu Lys Thr Ile Lys Ala Cys Lys Pro Ser Asp Gln Ile Leu 255 260 265

Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn Gly Asp Gln Asp Thr Leu

275

Lys Gly Leu Met His Ala Leu Lys His Ser Lys Thr Tyr His Phe Pro 285

Lys Thr Val Thr Gln Ser Leu Lys Lys Thr Ile Arg Phe Leu His Ser 300

The Mat Tyr Lys Lys Tyr Gla Lys Leu Phe Leu Gla Met Lle Gla

Phe Thr Met Tyr Lys Leu Tyr Gln Lys Leu Phe Leu Glu Met Ile Gly 320 325 330

Asn Gln Val Gln Ser Val Lys Ile Ser Cys Leu 335

(2) INFORMATION FOR SEQ ID NO:70:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 359 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:

(A) NAME/KEY: Peptide

(B) LOCATION: -21..0

(ix) FEATURE:

(A) NAME/KEY: Protein

(B) LOCATION: 1..338

(D) OTHER INFORMATION: /note= "OCIF-DCR4"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15 -10

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
-5 1 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 40

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 105

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Ser 110 115

Gly Asn Ser Glu Ser Thr Gln Lys Cys Gly Ile Asp Val Thr Leu Cys 125 130 135

Glu Glu Ala Phe Phe Arg Phe Ala Val Pro Thr Lys Phe Thr Pro Asn 140 150 155

Trp Leu Ser Val Leu Val Asp Asn Leu Pro Gly Thr Lys Val Asn Ala

Glu Ser Val Glu Arg Ile Lys Arg Gln His Ser Ser Gln Glu Gln Thr 175 180

Phe Gln Leu Lys Leu Trp Lys His Gln Asn Lys Asp Gln Asp Ile

195

Val Lys Lys Ile Ile Gln Asp Ile Asp Leu Cys Glu Asn Ser Val Gln 205 210 Arg His Ile Gly His Ala Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu 220 235 Met Glu Ser Leu Pro Gly Lys Lys Val Gly Ala Glu Asp Ile Glu Lys 240 245 Thr Ile Lys Ala Cys Lys Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser 255 260 265 Leu Trp Arg Ile Lys Asn Gly Asp Gln Asp Thr Leu Lys Gly Leu Met 270 280 His Ala Leu Lys His Ser Lys Thr Tyr His Phe Pro Lys Thr Val Thr 285 290 Gln Ser Leu Lys Lys Thr Ile Arg Phe Leu His Ser Phe Thr Met Tyr 300 310 315Lys Leu Tyr Gln Lys Leu Phe Leu Glu Met Ile Gly Asn Gln Val Gln 320 325 330Ser Val Lys Ile Ser Cys Leu 335

(2) INFORMATION FOR SEQ ID NO:71:

- (i) SEQUENCE CHARACTERISTICS:
 - LENGTH: 326 amino acids
 - TYPE: amino acid STRANDEDNESS:

 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - LOCATION: 1..305
 - (D) OTHER INFORMATION: /note= "OCIF-DDD1"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

Met Asn Asn Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
-20 -15

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 35 40

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg

115 1

(2) INFORMATION FOR SEQ ID NO:72:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 327 amino acids
 - (B) TYPE: amino acid
 - C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..306
 - (D) OTHER INFORMATION: /note= "OCIF-DDD2"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
-20 -15 -10

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
-5 1 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 40

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys
45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu

60 75 Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90 Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 105Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg 110 115 120Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135 Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Leu Thr Gln Lys 140 145 150 150Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg 175 180 185 Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val 190 195 200 Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile 205 210 215 Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235 230 235 Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245 250Asp Ala Leu Lys His Ser Lys Thr Tyr His Phe Pro Lys Thr Val Thr 255 260 265 Gln Ser Leu Lys Lys Thr Ile Arg Phe Leu His Ser Phe Thr Met Tyr 270 275 280 Lys Leu Tyr Gln Lys Leu Phe Leu Glu Met Ile Gly Asn Gln Val Gln 285 290 295 Ser Val Lys Ile Ser Cys Leu 300 305

(2) INFORMATION FOR SEQ ID NO:73:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 399 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1...378
 - (D) OTHER INFORMATION: /note= "OCIF-CL"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:
- Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15 -10
- Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp -5 1 10
- Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro $30 \hspace{1cm} 35 \hspace{1cm} 40$ Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys
45 50 55 Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75 Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90 Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 105 Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg 110 115 120Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135 Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Leu Thr Gln Lys 140 150 155Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg 175 180 185 Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val 190 195 200 Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235 230 Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245 250Asp Ile Asp Leu Cys Glu Asn Ser Val Gln Arg His Ile Gly His Ala 255 260 265 Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly 270 275 280 Lys Lys Val Gly Ala Glu Asp Ile Glu Lys Thr Ile Lys Ala Cys Lys 285 290 295 Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn 300 315 Gly Asp Gln Asp Thr Leu Lys Gly Leu Met His Ala Leu Lys His Ser 320 325 330 Lys Thr Tyr His Phe Pro Lys Thr Val Thr Gln Ser Leu Lys Lys Thr 335 340 345Ile Arg Phe Leu His Ser Phe Thr Met Tyr Lys Leu Tyr Gln Lys Leu 350 360

Phe Leu Glu Met Ile Gly Asn Gln Val Gln Ser Val Lys Ile Ser 365 375

(2) INFORMATION FOR SEQ ID NO:74:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 351 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

(ix) FEATURE:

(A) NAME/KEY: Peptide (B) LOCATION: -21..0


(ix) FEATURE:

(A) NAME/KEY: Protein (B) LOCATION: 1..330

(D) OTHER INFORMATION: /note= "OCIF-CC"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15 Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr
15 20 25 Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro $30 \hspace{1cm} 35 \hspace{1cm} 40$ Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys
45 50 Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75 Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90 Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 105 Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135 Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Thr Gln Lys 140 155 Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val 190 195 200 Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile 205 210 Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235 Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245 250Asp Ile Asp Leu Cys Glu Asn Ser Val Gln Arg His Ile Gly His Ala 255 260 Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly 270 275 280 Lys Lys Val Gly Ala Glu Asp Ile Glu Lys Thr Ile Lys Ala Cys Lys 285 290 295 Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn 300 315



(2) INFORMATION FOR SEQ ID NO:75:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 272 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:

(A) NAME/KEY: Peptide (B) LOCATION: -21..0

(ix) FEATURE:

(A) NAME/KEY: Protein

(B) LOCATION: 1..251

(D) OTHER INFORMATION: /note= "OCIF-CDD2"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp -5 1 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro $30 \hspace{1cm} 35 \hspace{1cm} 40$

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100 105

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg 110 120

Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135

Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Leu Thr Gln Lys 140 145 150 150

Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr 160 165 170

Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg 175 180 185

Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val

Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val Glu Arg Ile 205 210 215

Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 235

Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln $_{j}$ 240 250



(2) INFORMATION FOR SEQ ID NO:76:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 197 amino acids

TYPE: amino acid (B)

(C) STRANDEDNESS: (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE: (A) NAME/KEY: Peptide

(B) LOCATION: -21..0

(ix) FEATURE:

(A) NAME/KEY: Protein

(B) LOCATION: 1..176

(D) OTHER INFORMATION: /note= "OCIF-CDD1"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:

Met Asn Asn Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15

Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
1 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr
15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 35 40

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 105

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg 110 115 120

Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys

Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Thr Gln Lys 140 145 150 150

Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser 160

Gln Lys Cys Gly Ile 175

(2) INFORMATION FOR SEQ ID NO:77:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 143 amino acids

(B) TYPE: amino acid

STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:

(A) NAME/KEY: Peptide (B) LOCATION: -21..0

(ix) FEATURE:

(A) NAME/KEY: Protein

(B) LOCATION: 1..122

(D) OTHER INFORMATION: /note= "OCIF-CCR4"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:

Met Asn Asn Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55 Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys

(2) INFORMATION FOR SEQ ID NO:78:

- (i) SEQUENCE CHARACTERISTICS:
 - LENGTH: 106 amino acids
 - (B) TYPE: amino acid
 - STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..85
 - (D) OTHER INFORMATION: /note= "OCIF-CCR3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:

Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15 -10-20


Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
-5 1 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75



(2) INFORMATION FOR SEQ ID NO:79:

(i) SEQUENCE CHARACTERISTICS:

(Ã) LENGTH: 393 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:

(A) NAME/KEY: Peptide

(B) LOCATION: -21..0

(ix) FEATURE:

(A) NAME/KEY: Protein

(B) LOCATION: 1..372

(D) OTHER INFORMATION: /note= "OCIF-CBst"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:

Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15 -10

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
-5 1 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro $30 \hspace{1cm} 35 \hspace{1cm} 40$

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys
45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg 110 115 120

Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135

Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Leu Thr Gln Lys 140 150 155

Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly Asn Ser Glu Ser Thr

Gln Lys Cys Gly Ile Asp Val Thr Leu Cys Glu Glu Ala Phe Phe Arg 175 180 185

Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser Val Leu Val

Asp Asm Leu Pro Gly Thr Lys Val Asm Ala Glu Ser Val Glu Arg Ile 205 210

Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu Leu Lys Leu 220 230 235

Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys Ile Ile Gln 240 245

Asp Ile Asp Leu Cys Glu Asn Ser Val Gln Arg His Ile Gly His Ala 255 260 265

Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu Met Glu Ser Leu Pro Gly 270 280

Lys Lys Val Gly Ala Glu Asp Ile Glu Lys Thr Ile Lys Ala Cys Lys 285 290 295

Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser Leu Trp Arg Ile Lys Asn $300 \hspace{1.5cm} 305 \hspace{1.5cm} 310 \hspace{1.5cm} 315$

Gly Asp Gln Asp Thr Leu Lys Gly Leu Met His Ala Leu Lys His Ser $320 \hspace{1cm} 325 \hspace{1cm} 330$

Lys Thr Tyr His Phe Pro Lys Thr Val Thr Gln Ser Leu Lys Lys Thr 340 345

Ile Arg Phe Leu His Ser Phe Thr Met Tyr Lys Leu Tyr Gln Lys Leu 350 360

Phe Leu Glu Met Ile Gly Asn Leu Val 365

(2) INFORMATION FOR SEQ ID NO:80:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 321 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..300
 - (D) OTHER INFORMATION: /note= "OCIF-CSph"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:

Met Asn Asn Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile -20 -15

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp -5 1 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro 30 . 35 40

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55

Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75

Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe 95 100

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg

Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys 125 130 135
 Arg 140
 Lys
 His
 Thr
 Asn
 Cys
 Ser
 Val
 Phe
 Gly
 Leu
 Leu
 Leu
 Thr
 Gln
 Lys

 Gly
 Asn
 Ala
 Thr
 His
 Asp
 Asn
 Ile
 Cys
 Gly
 Gly
 Asp
 Thr

 Gln
 Lys
 Cys
 Gly
 Ile
 Asp
 Val
 Thr
 Leu
 Cys
 Glu
 Glu
 Ala
 Phe
 Phe
 Arg

 Phe
 Ala
 Val
 Pro
 Thr
 Lus
 Phe
 Thr
 Leu
 Cys
 Glu
 Glu
 Ala
 Phe
 Phe

 Asp
 Asp
 Lus
 Pro
 Thr
 Lys
 Phe
 Thr
 Pro
 Asn
 Trp
 Leu
 Ser
 Val
 Leu
 Val
 Leu
 Arg
 Ile
 Val
 Ala
 Ile
 Val
 Ile
 Ile
 Val
 Ile
 Ile
 Ile
 Val
 Ile
 Ile
 Ile

(2) INFORMATION FOR SEQ ID NO:81:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 187 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..166
 - (D) OTHER INFORMATION: /note= "OCIF-CBsp"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:
- Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
 -20 -15 -10
- Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp
 -5 1 10
- Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr 15 20 25 .
- Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro $30 \hspace{1cm} 35 \hspace{1cm} 40$
- Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys 45 50 55
- Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu Gln Tyr Val Lys Gln Glu 60 70 75
- Cys Asn Arg Thr His Asn Arg Val Cys Glu Cys Lys Glu Gly Arg Tyr 80 85 90

Leu Glu Ile Glu Phe Cys Leu Lys His Arg Ser Cys Pro Pro Gly Phe

Gly Val Val Gln Ala Gly Thr Pro Glu Arg Asn Thr Val Cys Lys Arg

Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr Ser Ser Lys Ala Pro Cys

Arg Lys His Thr Asn Cys Ser Val Phe Gly Leu Leu Thr Gln Lys 140 145 150 150

Gly Asn Ala Thr His Asp Asn Ile Cys Ser Gly

(2) INFORMATION FOR SEQ ID NO:82:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 84 amino acids
 - (B) TYPE: amino acid (C) STRANDEDNESS:

 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Peptide
 - (B) LOCATION: -21..0
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 (B) LOCATION: 1..63

 - (D) OTHER INFORMATION: /note= "OCIF-CPst"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:

Met Asn Asn Leu Leu Cys Cys Ala Leu Val Phe Leu Asp Ile Ser Ile
-20 -15 -20

Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro Lys Tyr Leu His Tyr Asp -5 10

Glu Glu Thr Ser His Gln Leu Leu Cys Asp Lys Cys Pro Pro Gly Thr

Tyr Leu Lys Gln His Cys Thr Ala Lys Trp Lys Thr Val Cys Ala Pro

Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp His Thr Ser Asp Glu Cys

Leu Tyr Leu Val

(2) INFORMATION FOR SEQ ID NO:83:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1206 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (ix) FEATURE:
 - (A) NAME/KEY: -
 - LOCATION: 1..1206 (B)
 - (D) OTHER INFORMATION: /note= "(OCIF-C19S)"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:83:

ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA GTGGACCACC

60

	•					
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AAAGTGGAAT	AGATGTTACC	600
CTGTGTGAGG	AGGCATTCTT	CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780
AACAAAGACC	AAGATATAGT	CAAGAAGATC	ATCCAAGATA	TTGACCTCTG	TGAAAACAGC	840
GTGCAGCGGC	ACATTGGACA	TGCTAACCTC	ACCTTCGAGC	AGCTTCGTAG	CTTGATGGAA	900
AGCTTACCGG	GAAAGAAAGT	GGGAGCAGAA	GACATTGAAA	AAACAATAAA	GGCATGCAAA	960
CCCAGTGACC	AGATCCTGAA	GCTGCTCAGT	TTGTGGCGAA	TAAAAAATGG	CGACCAAGAC	1020
ACCTTGAAGG	GCCTAATGCA	CGCACTAAAG	CACTCAAAGA	CGTACCACTT	TCCCAAAACT	1080
GTCACTCAGA	GTCTAAAGAA	GACCATCAGG	TTCCTTCACA	GCTTCACAAT	GTACAAATTG	1,140
TATCAGAAGT	TATTTTTAGA	AATGATAGGT	AACCAGGTCC	AATCAGTAAA	AATAAGCTGC	1200
TTATAA						1206

(2) INFORMATION FOR SEQ ID NO:84:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1206 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: (B) LOCATION: 1..1206
 (D) OTHER INFORMATION: /note= "(OCIF-C20S)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	- 60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAÀA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540



(2) INFORMATION FOR SEQ ID NO:85:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1206 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: (B) LOCATION: 1..1206
 (D) OTHER INFORMATION: /note= "(OCIF-C21S)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	. 120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	3,60
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC	600
CTGTGTGAGG	AGGCATTCTT	CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	. 720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780
AACAAAGACC	AAGATATAGT	CAAGAAGATC	ATCCAAGATA	TTGACCTCAG	TGAAAACAGC	840
GTGCAGCGGC	ACATTGGACA	TGCTAACCTC	ACCTTCGAGC	AGCTTCGTAG	CTTGATGGAA	900
AGCTTACCGG	GAAAGAAAGT	GGGAGCAGAA	GACATTGAAA	AAACAATAAA	GGCATGCAAA	960
CCCAGTGACC	AGATCCTGAA	GCTGCTCAGT	TTGTGGCGAA	TAAAAAATGG	CGACCAAGAC	1020

ACCTTGAAGG	GCCTAATGCA	CGCACTAAAG	CACTCAAAGA	CGTACCACTT	TCCCAAAACT	1080
GTCACTCAGA	GTCTAAAGAA	GACCATCAGG	TTCCTTCACA	GCTTCACAAT	GTACAAATTG	1140
TATCAGAAGT	TATTTTTAGA	AATGATAGGT	AACCAGGTCC	AATCAGTAAA	AATAAGCTGC	1200
ΤΤΑΤΑΑ						1206

(2) INFORMATION FOR SEQ ID NO:86:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1206 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single

 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..1206
 (D) OTHER INFORMATION: /note= "(OCIF-C22S)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC	600
CTGTGTGAGG	AGGCATTCTT	CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780
AACAAAGACC	AAGATATAGT	CAAGAAGATC	ATCCAAGATA	TTGACCTCTG	TGAAAACAGC	840
GTGCAGCGGC	ACATTGGACA	TGCTAACCTC	ACCTTCGAGC	AGCTTCGTAG	CTTGATGGAA	900
AGCTTACCGG	GAAAGAAAGT	GGGAGCAGAA	GACATTGAAA	AAACAATAAA	GGCAAGCAAA	960
CCCAGTGACC	AGATCCTGAA	GCTGCTCAGT	TTGTGGCGAA	TAAAAAATGG	CGACCAAGAC	1020
ACCTTGAAGG	GCCTAATGCA	CGCACTAAAG	CACTCAAAGA	CGTACCACTT	TCCCAAAACT	1080
GTCACTCAGA	GTCTAAAGAA	GACCATCAGG	TTCCTTCACA	GCTTCACAAT	GTACAAATTG	11,40
TATCAGAAGT	TATTTTTAGA	AATGATAGGT	AACCAGGTCC	AATCAGTAAA	AATAAGCTGC	1200
TTATAA						1206

(2) INFORMATION FOR SEQ ID NO:87:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1206 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear



(ix) FEATURE:

(A) NAME/KEY: -(B) LOCATION: 1..1206

(D) OTHER INFORMATION: /note= "(OCIF-C23S)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:87:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC	6,00
CTGTGTGAGG	AGGCATTCTT	CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	. 780
AACAAAGACC	AAGATATAGT	CAAGAAGATC	ATCCAAGATA	TTGACCTCTG	TGAAAACAGC	840
GTGCAGCGGC	ACATTGGACA	TGCTAACCTC	ACCTTCGAGC	AGCTTCGTAG	CTTGATGGAA	900
AGCTTACCGG	GAAAGAAAGT	GGGAGCAGAA	GACATTGAAA	AAACAATAAA	GGCATGCAAA	960
CCCAGTGACC	AGATCCTGAA	GCTGCTCAGT	TTGTGGCGAA	TAAAAAATGG	CGACCAAGAC	1020
ACCTTGAAGG	GCCTAATGCA	CGCACTAAAG	CACTCAAAGA	CGTACCACTT	TCCCAAAACT	1080
GTCACTCAGA	GTCTAAAGAA	GACCATCAGG	TTCCTTCACA	GCTTCACAAT	GTACAAATTG	1140
TATCAGAAGT	TATTTTTAGA	AATGATAGGT	AACCAGGTCC	AATCAGTAAA	AATAAGCAGC	1200
TTATAA		r				1206

(2) INFORMATION FOR SEQ ID NO:88:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1083 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: (B) LOCATION: 1..1083
 (D) OTHER INFORMATION: /note= "(OCIF-DCR1)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:88:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAACCTT	GCCCTGACCA	CTACTACACA	GACAGCTGGC	ACACCAGTGA	CGAGTGTCTA	120
TACTGCAGCC	CCGTGTGCAA	GGAGCTGCAG	TACGTCAAGC	AGGAGTGCAA	TCGCACCCAC	180

AACCGCGTGT GCGAATGCAA GGAAGGGCGC TACCTTGAGA TAGAGTTCTG CTTGAAACAT AGGAGCTGCC CTCCTGGATT TGGAGTGGTG CAAGCTGGAA CCCCAGAGCG AAATACAGTT TGCAAAAGAT GTCCAGATGG GTTCTTCTCA AATGAGACGT CATCTAAAGC ACCCTGTAGA AAACACACAA ATTGCAGTGT CTTTGGTCTC CTGCTAACTC AGAAAGGAAA TGCAACACAC GACAACATAT GTTCCGGAAA CAGTGAATCA ACTCAAAAAT GTGGAATAGA TGTTACCCTG TGTGAGGAGG CATTCTTCAG GTTTGCTGTT CCTACAAAGT TTACGCCTAA CTGGCTTAGT GTCTTGGTAG ACAATTTGCC TGGCACCAAA GTAAACGCAG AGAGTGTAGA GAGGATAAAA	240 300
TGCAAAAGAT GTCCAGATGG GTTCTTCTCA AATGAGACGT CATCTAAAGC ACCCTGTAGA AAACACACAA ATTGCAGTGT CTTTGGTCTC CTGCTAACTC AGAAAGGAAA TGCAACACAC GACAACATAT GTTCCGGAAA CAGTGAATCA ACTCAAAAAT GTGGAATAGA TGTTACCCTG TGTGAGGAGG CATTCTTCAG GTTTGCTGTT CCTACAAAGT TTACGCCTAA CTGGCTTAGT	200
AAACACACAA ATTGCAGTGT CTTTGGTCTC CTGCTAACTC AGAAAGGAAA TGCAACACC GACAACATAT GTTCCGGAAA CAGTGAATCA ACTCAAAAAT GTGGAATAGA TGTTACCCTG TGTGAGGAGG CATTCTTCAG GTTTGCTGTT CCTACAAAGT TTACGCCTAA CTGGCTTAGT	300
GACAACATAT GTTCCGGAAA CAGTGAATCA ACTCAAAAAT GTGGAATAGA TGTTACCCTG TGTGAGGAGG CATTCTTCAG GTTTGCTGTT CCTACAAAGT TTACGCCTAA CTGGCTTAGT	360
TGTGAGGAGG CATTCTTCAG GTTTGCTGTT CCTACAAAGT TTACGCCTAA CTGGCTTAGT	420
	480
	540
GICTIGGIAG ACAATTIGCC IGGCACCAAA GIAAACGCAG AGAGIGIAGA GAGGATAAAA	600
CGGCAACACA GCTCACAAGA ACAGACTTTC CAGCTGCTGA AGTTATGGAA ACATCAAAAC	660
AAAGACCAAG ATATAGTCAA GAAGATCATC CAAGATATTG ACCTCTGTGA AAACAGCGTG	7:2:0
CAGCGGCACA TTGGACATGC TAACCTCACC TTCGAGCAGC TTCGTAGCTT GATGGAAAGC	780
TTACCGGGAA AGAAAGTGGG AGCAGAAGAC ATTGAAAAAA CAATAAAGGC ATGCAAACCC	840
AGTGACCAGA TCCTGAAGCT GCTCAGTTTG TGGCGAATAA AAAATGGCGA CCAAGACACC	900
TTGAAGGGCC TAATGCACGC ACTAAAGCAC TCAAAGACGT ACCACTTTCC CAAAACTGTC	960
ACTCAGAGTC TAAAGAAGAC CATCAGGTTC CTTCACAGCT TCACAATGTA CAAATTGTAT	1020
CAGAAGTTAT TTTTAGAAAT GATAGGTAAC CAGGTCCAAT CAGTAAAAAT AAGCTGCTTA	1080
TAA	1083

(2) INFORMATION FOR SEQ ID NO:89:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1080 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: (B) LOCATION: 1..1080
 (D) OTHER INFORMATION: /note= "(OCIF-DCR2)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:89:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCG	AATGCAAGGA	AGGGCGCTAC	CTTGAGATAG	AGTTCTGCTT	GAAACATAGG	240
AGCTGCCCTC	CTGGATTTGG	AGTGGTGCAA	GCTGGAACCC	CAGAGCGAAA	TACAGTTTGC	300
AAAAGATGTC	CAGATGGGTT	CTTCTCAAAT	GAGACGTCAT	CTAAAGCACC	CTGTAGAAAA	3,60
CACACAAATT	GCAGTGTCTT	TGGTCTCCTG	CTAACTCAGA	AAGGAAATGC	AACACACGAC	420
AACATATGTT	CCGGAAACAG	TGAATCAACT	CAAAAATGTG	GAATAGATGT	TACCCTGTGT	480
GAGGAGGCAT	TCTTCAGGTT	TGCTGTTCCT	ACAAAGTTTA	CGCCTAACTG	GCTTAGTGTC	540
TTGGTAGACA	ATTTGCCTGG	CACCAAAGTA	AACGCAGAGA	GTGTAGAGAG	GATAAAACGG	600
CAACACAGCT	CACAAGAACA	GACTTTCCAG	CTGCTGAAGT	TATGGAAACA	TCAAAACAAA	660
GACCAAGATA	TAGTCAAGAA	GATCATCCAA	GATATTGACC	TCTGTGAAAA	CAGCGTGCAG	. 720
CGGCACATTG	GACATGCTAA	CCTCACCTTC	GAGCAGCTTC	GTAGCTTGAT	GGAAAGCTTA	780



CCGGG	AAAGA	AAGTGGGAGC	AGAAGACATT	GAAAAAACAA	TAAAGGCATG	CAAACCCAGT	840
GACCA	GATCC	TGAAGCTGCT	CAGTTTGTGG	CGAATAAAAA	ATGGCGACCA	AGACACCTTG	900
AAGGG	CCTAA	TGCACGCACT	AAAGCACTCA	AAGACGTACC	ACTTTCCCAA	AACTGTCACT	960
CAGAG	TCTAA	AGAAGACCAT	CAGGTTCCTT	CACAGCTTCA	CAATGTACAA	ATTGTATCAG	1020
AAGTT.	ATTTT	TAGAAATGAT	AGGTAACCAG	GTCCAATCAG	TAAAAATAAG	CTGCTTATAA	1080

(2) INFORMATION FOR SEQ ID NO:90:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1092 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: -(B) LOCATION: 1..1092
- (D) OTHER INFORMATION: /note= "(OCIF-DCR3)"


(xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCAGATG	TCCAGATGGG	TTCTTCTCAA	ATGAGACGTC	ATCTAAAGCA	360
CCCTGTAGAA	AACACACAAA	TTGCAGTGTC	TTTGGTCTCC	TGCTAACTCA	GAAAGGAAAT '	420
GCAACACACG	ACAACATATG	TTCCGGAAAC	AGTGAATCAA	CTCAAAAATG	TGGAATAGAT	480
GTTACCCTGT	GTGAGGAGGC	ATTCTTCAGG	TTTGCTGTTC	CTACAAAGTT	TACGCCTAAC	540
TGGCTTAGTG	TCTTGGTAGA	CAATTTGCCT	GGCACCAAAG	TAAACGCAGA	GAGTGTAGAG	600
AGGATAAAAC	GGCAACACAG	CTCACAAGAA	CAGACTTTCC	AGCTGCTGAA	GTTATGGAAA	660
CATCAAAACA	AAGACCAAGA	TATAGTCAAG	AAGATCATCC	AAGATATTGA	CCTCTGTGAA	720
AACAGCGTGC	AGCGGCACAT	TGGACATGCT	AACCTCACCT	TCGAGCAGCT	TCGTAGCTTG	780
ATGGAAAGCT	TACCGGGAAA	GAAAGTGGGA	GCAGAAGACA	TTGAAAAAAC	AATAAAGGCA	840
TGCAAACCCA	GTGACCAGAT	CCTGAAGCTG	CTCAGTTTGT	GGCGAATAAA	AAATGGCGAC	900
CAAGACACCT	TGAAGGGCCT	AATGCACGCA	CTAAAGCACT	CAAAGACGTA	CCACTTTCCC	960
AAAACTGTCA	CTCAGAGTCT	AAAGAAGACC	ATCAGGTTCC	TTCACAGCTT	CACAATGTAC	1020
AAATTGTATC	AGAAGTTATT	TTTAGAAATG	ATAGGTAACC	AGGTCCAATC	AGTAAAAATA	1080
AGCTGCTTAT	AA					1092

(2) INFORMATION FOR SEQ ID NO:91:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1080 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single

 - (D) TOPOLOGY: linear



(ix) FEATURE:

(A) NAME/KEY: -(B) LOCATION: 1..1080

(D) OTHER INFORMATION: /note= "(OCIF-DCR4)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAT	CCGGAAACAG	TGAATCAACT	CAAAAATGTG	GAATAGATGT	TACCCTGTGT	480
GAGGAGGCAT	TCTTCAGGTT	TGCTGTTCCT	ACAAAGTTTA	CGCCTAACTG	GCTTAGTGTC	540
TTGGTAGACA	ATTTGCCTGG	CACCAAAGTA	AACGCAGAGA	GTGTAGAGAG	GATAAAACGG	600
CAACACAGCT	CACAAGAACA	GACTTTCCAG	CTGCTGAAGT	TATGGAAACA	TCAAAACAAA	:-660
GACCAAGATA	TAGTCAAGAA	GATCATCCAA	GATATTGACC	TCTGTGAAAA	CAGCGTGCAG	720
CGGCACATTG	GACATGCTAA	CCTCACCTTC	GAGCAGCTTC	GTAGCTTGAT	GGAAAGCTTA	780
CCGGGAAAGA	AAGTGGGAGC	AGAAGACATT	GAAAAAACAA	TAAAGGCATG	CAAACCCAGT	840
GACCAGATCC	TGAAGCTGCT	CAGTTTGTGG	CGAATAAAAA	ATGGCGACCA	AGACACCTTG	900
AAGGGCCTAA	TGCACGCACT	AAAGCACTCA	AAGACGTACC	ACTTTCCCAA	AACTGTCACT	960
CAGAGTCTAA	AGAAGACCAT	CAGGTTCCTT	CACAGCTTCA	CAATGTACAA	ATTGTATCAG	1020
AAGTTATTTT	TAGAAATGAT	AGGTAACCAG	GTCCAATCAG	TAAAAATAAG	CTGCTTATAA	1080

(2) INFORMATION FOR SEQ ID NO:92:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 981 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: ~
- (B) LOCATION: 1..981
 (D) OTHER INFORMATION: /note= "(OCIF-DDD1)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:92:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300



CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATATTGAC	600
CTCTGTGAAA	ACAGCGTGCA	GCGGCACATT	GGACATGCTA	ACCTCACCTT	CGAGCAGCTT	660
CGTAGCTTGA	TGGAAAGCTT	ACCGGGAAAG	AAAGTGGGAG	CAGAAGACAT	TGAAAAAACA	720
ATAAAGGCAT	GCAAACCCAG	TGACCAGATC	CTGAAGCTGC	TCAGTTTGTG	GCGAATAAAA	780
AATGGCGACC	AAGACACCTT	GAAGGGCCTA	ATGCACGCAC	TAAAGCACTC	AAAGACGTAC	840
CACTTTCCCA	AAACTGTCAC	TCAGAGTCTA	AAGAAGACCA	TCAGGTTCCT	TCACAGCTTC	900
ACAATGTACA	AATTGTATCA	GAAGTTATTT	TTAGAAATGA	TAGGTAACCA	GGTCCAATCA	. 960
GTAAAAATAA	GCTGCTTATA	A				981

(2) INFORMATION FOR SEQ ID NO:93:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 984 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear


(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: (B) LOCATION: 1..984
 (D) OTHER INFORMATION: /note= "(OCIF-DDD2)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:93:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	. 60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	. 240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC	600
CTGTGTGAGG	AGGCATTCTT	CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780
AACAAAGACC	AAGATATAGT	CAAGAAGATC	ATCCAAGACG	CACTAAAGCA	CTCAAAGACG	840
TACCACTTTC	CCAAAACTGT	CACTCAGAGT	CTAAAGAAGA	CCATCAGGTT	CCTTCACAGC	900
TTCACAATGT	ACAAATTGTA	TCAGAAGTTA	TTTTTAGAAA	TGATAGGTAA	CCAGGTCCAA	960
TCAGTAAAAA	TAAGCTGCTT	ATAA				984



- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1200 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..1200
- (D) OTHER INFORMATION: /note= "(OCIF-CL)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:94:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC	600
CTGTGTGAGG	AGGCATTCTT	CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780
AACAAAGACC	AAGATATAGT	CAAGAAGATC	ATCCAAGATA	TTGACCTCTG	TGAAAACAGC	840
GTGCAGCGGC	ACATTGGACA	TGCTAACCTC	ACCTTCGAGC	AGCTTCGTAG	CTTGATGGAA.	900
AGCTTACCGG	GAAAGAAAGT	GGGAGCAGAA	GACATTGAAA	AAACAATAAA	GGCATGCAAA	960
CCCAGTGACC	AGATCCTGAA	GCTGCTCAGT	TTGTGGCGAA	TAAAAAATGG	CGACCAAGAC	1020
ACCTTGAAGG	GCCTAATGCA	CGCACTAAAG	CACTCAAAGA	CGTACCACTT	TCCCAAAACT	1080
GTCACTCAGA	GTCTAAAGAA	GACCATCAGG	TTCCTTCACA	GCTTCACAAT	GTACAAATTG	1140
TATCAGAAGT	TATTTTTAGA	AATGATAGGT	AACCAGGTCC	AATCAGTAAA	AATAAGCTAA	1200

(2) INFORMATION FOR SEQ ID NO:95:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1056 base pairs
 - (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (ix) FEATURE:

 - (A) NAME/KEY: -(B) LOCATION: 1..1056
 - (D) OTHER INFORMATION: /note= "(OCIF-CC)"



(xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	. 540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC	600
CTGTGTGAGG	AGGCATTCTT	CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780
AACAAAGACC	AAGATATAGT	CAAGAAGATC	ATCCAAGATA	TTGACCTCTG	TGAAAACAGC	840
GTGCAGCGGC	ACATTGGACA	TGCTAACCTC	ACCTTCGAGC	AGCTTCGTAG	CTTGATGGAA	900
AGCTTACCGG	GAAAGAAAGT	GGGAGCAGAA	GACATTGAAA	AAACAATAAA	GGCATGCAAA	960
CCCAGTGACC	AGATCCTGAA	GCTGCTCAGT	TTGTGGCGAA	TAAAAAATGG	CGACCAAGAC	1020
ACCTTGAAGG	GCCTAATGCA	CGCACTAAAG	CACTGA		•	1056

(2) INFORMATION FOR SEQ ID NO:96:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 819 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..819
 (D) OTHER INFORMATION: /note= "(OCIF-CDD2)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:96:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC	600



CTGTGTGAGG AGGCATTCTT CAGGTTTGCT GTTCCTACAA AGTTTACGCC TAACTGGCTT	660
AGTGTCTTGG TAGACAATTT GCCTGGCACC AAAGTAAACG CAGAGAGTGT AGAGAGGATA	720
AAACGGCAAC ACAGCTCACA AGAACAGACT TTCCAGCTGC TGAAGTTATG GAAACATCAA	. 780 .
AACAAAGACC AAGATATAGT CAAGAAGATC ATCCAATGA	819
(2) INFORMATION FOR SEQ ID NO:97:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 594 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	·.
(ii) MOLECULE TYPE: cDNA	
<pre>(ix) FEATURE: (A) NAME/KEY: - (B) LOCATION: 1594 (D) OTHER INFORMATION: /note= "(OCIF-CDD1)"</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:97:	
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA GTGGACCACC	60
CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA TCAGCTGTTG	120
TGTGACAAAT GTCCTCCTGG TACCTACCTA AAACAACACT GTACAGCAAA GTGGAAGACC	180
GTGTGCGCCC CTTGCCCTGA CCACTACTAC ACAGACAGCT GGCACACCAG TGACGAGTGT	240
CTATACTGCA GCCCCGTGTG CAAGGAGCTG CAGTACGTCA AGCAGGAGTG CAATCGCACC	300
CACAACCGCG TGTGCGAATG CAAGGAAGGG CGCTACCTTG AGATAGAGTT CTGCTTGAAA	360
CATAGGAGCT GCCCTCCTGG ATTTGGAGTG GTGCAAGCTG GAACCCCAGA GCGAAATACA	420
GTTTGCAAAA GATGTCCAGA TGGGTTCTTC TCAAATGAGA CGTCATCTAA AGCACCCTGT	480
AGAAAACACA CAAATTGCAG TGTCTTTGGT CTCCTGCTAA CTCAGAAAGG AAATGCAACA	540
CACGACAACA TATGTTCCGG AAACAGTGAA TCAACTCAAA AATGTGGAAT ATGA	594
(2) INFORMATION FOR SEQ ID NO:98:	. ·
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 432 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
<pre>(ix) FEATURE: (A) NAME/KEY: - (B) LOCATION: 1432 (D) OTHER INFORMATION: /note= "(OCIF-CCR4)"</pre>	*.
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:98:	
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA GTGGACCACC	60



120

180

240

300

360

CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA TCAGCTGTTG

TGTGACAAAT GTCCTCCTGG TACCTACCTA AAACAACACT GTACAGCAAA GTGGAAGACC

GTGTGCGCCC CTTGCCCTGA CCACTACTAC ACAGACAGCT GGCACACCAG TGACGAGTGT

CTATACTGCA GCCCCGTGTG CAAGGAGCTG CAGTACGTCA AGCAGGAGTG CAATCGCACC

CACAACCGCG TGTGCGAATG CAAGGAAGGG CGCTACCTTG AGATAGAGTT CTGCTTGAAA

CATAGGAGCT GCCCTCCTGG ATTTGGAGTG GTGCAAGCTG GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAT GA	•	432
(2) INFORMATION FOR SEQ ID NO:99:		
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 321 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 		
(ii) MOLECULE TYPE: cDNA		
<pre>(ix) FEATURE: (A) NAME/KEY: - (B) LOCATION: 1321 (D) OTHER INFORMATION: /note= "(OCIF-CCR3)"</pre>	·	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:		
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT GTCCTCCTGG TACCTACCTA AAACAACACT GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC CTTGCCCTGA CCACTACTAC ACAGACAGCT GGCACACCAG	TGACGAGTGT	240
CTATACTGCA GCCCCGTGTG CAAGGAGCTG CAGTACGTCA AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG TGTGCGAATG A		321
(2) INFORMATION FOR SEQ ID NO:100:		*
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1182 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 		
(ii) MOLECULE TYPE: cDNA		
<pre>(ix) FEATURE: (A) NAME/KEY: - (B) LOCATION: 11182 (D) OTHER INFORMATION: /note= "(OCIF-CBst)"</pre>		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:100:		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:100: ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA	GTGGACCACC	·· 60
		60
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA	TCAGCTGTTG	
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA	TCAGCTGTTG GTGGAAGACC	120
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA TGTGACAAAT GTCCTCGG TACCTACCTA AAACAACACT GTACAGCAAA	TCAGCTGTTG GTGGAAGACC TGACGAGTGT	120 180
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA TGTGACAAAT GTCCTCGG TACCTACCTA AAACAACACT GTACAGCAAA GTGTGCGCCC CTTGCCCTGA CCACTACTAC ACAGACAGCT GGCACACCAG	TCAGCTGTTG GTGGAAGACC TGACGAGTGT CAATCGCACC	120 180 240
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA TGTGACAAAT GTCCTCGG TACCTACCTA AAACAACACT GTACAGCAAA GTGTGCGCCC CTTGCCCTGA CCACTACTAC ACAGACAGCT GGCACACCAG CTATACTGCA GCCCCGTGTG CAAGGAGCTG CAGTACGTCA AGCAGGAGTG	TCAGCTGTTG GTGGAAGACC TGACGAGTGT CAATCGCACC CTGCTTGAAA	120 180 240 300
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA TGTGACAAAT GTCCTCGG TACCTACCTA AAACAACACT GTACAGCAAA GTGTGCGCCC CTTGCCCTGA CCACTACTAC ACAGACAGCT GGCACACCAG CTATACTGCA GCCCCGTGTG CAAGGAGCTG CAGTACGTCA AGCAGGAGTG CACAACCGCG TGTGCGAATG CAAGGAAGGG CGCTACCTTG AGATAGAGTT	TCAGCTGTTG GTGGAAGACC TGACGAGTGT CAATCGCACC CTGCTTGAAA GCGAAATACA	120 180 240 300 360
ATGAACAACT TGCTGTGCTG CGCGCTCGTG TTTCTGGACA TCTCCATTAA CAGGAAACGT TTCCTCCAAA GTACCTTCAT TATGACGAAG AAACCTCTCA TGTGACAAAT GTCCTCTGG TACCTACCTA AAACAACACT GTACAGCAAA GTGTGCGCCC CTTGCCCTGA CCACTACTAC ACAGACAGCT GGCACACCAG CTATACTGCA GCCCCGTGTG CAAGGAGGTG CACAACCGCG TGTGCGAATG CAAGGAAGGG CGCTACCTTG AGATAGAGTT CATAGGAGCT GCCCTCTGG ATTTGGAGTG GTGCAAGCTG GAACCCCAGA	TCAGCTGTTG GTGGAAGACC TGACGAGTGT CAATCGCACC CTGCTTGAAA GCGAAATACA AGCACCCTGT AAATGCAACA	120 180 240 300 360 420

660

CTGTGTGAGG AGGCATTCTT CAGGTTTGCT GTTCCTACAA AGTTTACGCC TAACTGGCTT

AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780
AACAAAGACC	AAGATATAGT	CAAGAAGATC	ATCCAAGATA	TTGACCTCTG	TGAAAACAGC	840
GTGCAGCGGC	ACATTGGACA	TGCTAACCTC	ACCTTCGAGC	AGCTTCGTAG	CTTGATGGAA	900
AGCTTACCGG	GAAAGAAAGT	GGGAGCAGAA	GACATTGAAA	AAACAATAAA	GGCATGCAAA	960
CCCAGTGACC	AGATCCTGAA	GCTGCTCAGT	TTGTGGCGAA	TAAAAAATGG	CGACCAAGAC	1020
ACCTTGAAGG	GCCTAATGCA	CGCACTAAAG	CACTCAAAGA	CGTACCACTT	TCCCAAAACT	1080
GTCACTCAGA	GTCTAAAGAA	GACCATCAGG	TTCCTTCACA	GCTTCACAAT	GTACAAATTG	1140
TATCAGAAGT	TATTTTTAGA	AATGATAGGT	AACCTAGTCT	AG		1182

(2) INFORMATION FOR SEQ ID NO:101:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 966 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single

- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: -
- LOCATION: 1..966 (B)
- (D) OTHER INFORMATION: /note= "(OCIF-CSph)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:101:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	AAACAGTGAA	TCAACTCAAA	AATGTGGAAT	AGATGTTACC.	600
CTGTGTGAGG	AGGCATTCTT	CAGGTTTGCT	GTTCCTACAA	AGTTTACGCC	TAACTGGCTT	660
AGTGTCTTGG	TAGACAATTT	GCCTGGCACC	AAAGTAAACG	CAGAGAGTGT	AGAGAGGATA	720
AAACGGCAAC	ACAGCTCACA	AGAACAGACT	TTCCAGCTGC	TGAAGTTATG	GAAACATCAA	780
AACAAAGACC	AAGATATAGT	CAAGAAGATC	ATCCAAGATA	TTGACCTCTG	TGAAAACAGC	840
GTGCAGCGGC	ACATTGGACA	TGCTAACCTC	ACCTTCGAGC	AGCTTCGTAG	CTTGATGGAA	900
AGCTTACCGG	GAAAGAAAGT	GGGAGCAGAA	GACATTGAAA	AAACAATAAA	GGCTAGTCTA	
GACTAG						966

(2) INFORMATION FOR SEQ ID NO:102:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 564 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single



(ii) MOLECULE TYPE: cDNA

1	ix)	FEATURE	

(A) NAME/KEY: -

(B) LOCATION: 1..564

(D) OTHER INFORMATION: /note= "(OCIF-CBsp)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:102:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC.	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACTGCA	GCCCCGTGTG	CAAGGAGCTG	CAGTACGTCA	AGCAGGAGTG	CAATCGCACC	300
CACAACCGCG	TGTGCGAATG	CAAGGAAGGG	CGCTACCTTG	AGATAGAGTT	CTGCTTGAAA	360
CATAGGAGCT	GCCCTCCTGG	ATTTGGAGTG	GTGCAAGCTG	GAACCCCAGA	GCGAAATACA	420
GTTTGCAAAA	GATGTCCAGA	TGGGTTCTTC	TCAAATGAGA	CGTCATCTAA	AGCACCCTGT	480
AGAAAACACA	CAAATTGCAG	TGTCTTTGGT	CTCCTGCTAA	CTCAGAAAGG	AAATGCAACA	540
CACGACAACA	TATGTTCCGG	CTAG				564

(2) INFORMATION FOR SEQ ID NO:103:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 255 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: -
- (B) LOCATION: 1..255
- (D) OTHER INFORMATION: /note= "(OCIF-Pst)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:103:

ATGAACAACT	TGCTGTGCTG	CGCGCTCGTG	TTTCTGGACA	TCTCCATTAA	GTGGACCACC	60
CAGGAAACGT	TTCCTCCAAA	GTACCTTCAT	TATGACGAAG	AAACCTCTCA	TCAGCTGTTG	120
TGTGACAAAT	GTCCTCCTGG	TACCTACCTA	AAACAACACT	GTACAGCAAA	GTGGAAGACC	180
GTGTGCGCCC	CTTGCCCTGA	CCACTACTAC	ACAGACAGCT	GGCACACCAG	TGACGAGTGT	240
CTATACCTAG	TCTAG					255

(2) INFORMATION FOR SEQ ID NO:104:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1317 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double

 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:

- (A) NAME/KEY: (B) LOCATION: 1..1317
 (D) OTHER INFORMATION: /note= "human OCIF genomic DNA-1"



(A) NAME/KEY: sig_peptide (B) LOCATION: 1173..1202

(D) OTHER INFORMATION: /note= "amino acid residues -21 to -12"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:104:

CTGGAGACAT	ATAACTTGAA	CACTTGGCCC	TGATGGGGAA	GCAGCTCTGC	AGGGACTTTT	60
TCAGCCATCT	GTAAACAATT	TCAGTGGCAA	CCCGCGAACT	GTAATCCATG	AATGGGACCA	120
CACTTTACAA	GTCATCAAGT	CTAACTTCTA	GACCAGGGAA	TTAATGGGGG	AGACAGCGAA	180
CCCTAGAGCA	AAGTGCCAAA	CTTCTGTCGA	TAGCTTGAGG	CTAGTGGAAA	GACCTCGAGG	240
AGGCTACTCC	AGAAGTTCAG	CGCGTAGGAA	GCTCCGATAC	CAATAGCCCT	TTGATGATGG	300
TGGGGTTGGT	GAAGGGAACA	GTGCTCCGCA	AGGTTATCCC	TGCCCCAGGC	AGTCCAATTT	360
TCACTCTGCA	GATTCTCTCT	GGCTCTAACT	ACCCCAGATA	ACAAGGAGTG	AATGCAGAAT	420
AGCACGGGCT	TTAGGGCCAA	TCAGACATTA	GTTAGAAAAA	TTCCTACTAC	ATGGTTTATG	480
TAAACTTGAA	GATGAATGAT	TGCGAACTCC	CCGAAAAGGG	CTCAGACAAT	GCCATGCATA	540
AAGAGGGCC	CTGTAATTTG	AGGTTTCAGA	ACCCGAAGTG	AAGGGGTCAG	GCAGCCGGGT	600
ACGGCGGAAA	CTCACAGCTT	TCGCCCAGCG	AGAGGACAAA	GGTCTGGGAC	ACACTCCAAC	660
TGCGTCCGGA	TCTTGGCTGG	ATCGGACTCT	CAGGGTGGAG	GAGACACAAG	CACAGCAGCT	720
GCCCAGCGTG	TGCCCAGCCC	TCCCACCGCT	GGTCCCGGCT	GCCAGGAGGC	TGGCCGCTGG	780
CGGGAAGGGG	CCGGGAAACC	TCAGAGCCCC	GCGGAGACAG	CAGCCGCCTT	GTTCCTCAGC	840
CCGGTGGCTT	TTTTTTCCCC	TGCTCTCCCA	GGGGACAGAC	ACCACCGCCC	CACCCTCAC	900
GCCCCACCTC	CCTGGGGGAT	CCTTTCCGCC	CCAGCCCTGA	AAGCGTTAAT	CCTGGAGCTT	960
TCTGCACACC	CCCCGACCGC	TCCCGCCCAA	GCTTCCTAAA	AAAGAAAGGT	GCAAAGTTTG	1020
GTCCAGGATA	GAAAAATGAC	TGATCAAAGG	CAGGCGATAC	TTCCTGTTGC	CGGGACGCTA	1080
TATATAACGT	GATGAGCGCA	CGGGCTGCGG	AGACGCACCG	GAGCGCTCGC	CCAGCCGCCG	1140
CCTCCAAGCC	CCTGAGGTTT	CCGGGGACCA	CAATGAACAA	GTTGCTGTGC	TGCGCGCTCG	1200
TGGTAAGTCC	CTGGGCCAGC	CGACGGGTGC	CCGGCGCCTG	GGGAGGCTGC	TGCCACCTGG	1260
TCTCCCAACC	TCCCAGCGGA	CCGGCGGGGA	AAAAGGCTCC	ACTCGCTCCC	TCCCAAG	1317

(2) INFORMATION FOR SEQ ID NO:105:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 10190 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:

- (A) NAME/KEY: sig_peptide
 (B) LOCATION: 130..162
 (D) OTHER INFORMATION: /note= "amino acid residues -11 to -1"

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: join(130..162, 163..498, 4503..4694, 6715..6939, 8960..9346)
- (ix) FEATURE:

 - (A) NAME/KEY: mat_peptide
 (B) LOCATION: join(163..498, 4503..4694, 6715..6939, 8960..9346)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:105:

GCTTACTTTG TGCCAAATCT CATTAGGCTT AAGGTAATAC AGGACTTTGA GTCAAATGAT	60
ACTGTTGCAC ATAAGAACAA ACCTATTTC ATGCTAAGAT GATGCCACTG TGTTCCTTTC	120
TCCTTCTAG TTT CTG GAC ATC TCC ATT AAG TGG ACC ACC CAG GAA ACG	168
Phe Leu Asp Ile Ser Ile Lys Trp Thr Thr Gln Glu Thr -11 -10 -5 1	100
TTT CCT CCA AAG TAC CTT CAT TAT GAC GAA GAA ACC TCT CAT CAG CTG Phe Pro Pro Lys Tyr Leu His Tyr Asp Glu Glu Thr Ser His Gln Leu 5 10 15	216 ·.
TTG TGT GAC AAA TGT CCT CCT GGT ACC TAC CTA AAA CAA CAC TGT ACA Leu Cys Asp Lys Cys Pro Pro Gly Thr Tyr Leu Lys Gln His Cys Thr 20 25 30	264
GCA AAG TGG AAG ACC GTG TGC GCC CCT TGC CCT GAC CAC TAC TAC ACA Ala Lys Trp Lys Thr Val Cys Ala Pro Cys Pro Asp His Tyr Tyr Thr 35	312
GAC AGC TGG CAC ACC AGT GAC GAG TGT CTA TAC TGC AGC CCC GTG TGC Asp Ser Trp His Thr Ser Asp Glu Cys Leu Tyr Cys Ser Pro Val Cys 55 60 65	360
AAG GAG CTG CAG TAC GTC AAG CAG GAG TGC AAT CGC ACC CAC AAC CGC Lys Glu Leu Gln Tyr Val Lys Gln Glu Cys Asn Arg Thr His Asn Arg 70 75 80	408
GTG TGC GAA TGC AAG GAA GGG CGC TAC CTT GAG ATA GAG TTC TGC TTG Val Cys Glu Cys Lys Glu Gly Arg Tyr Leu Glu Ile Glu Phe Cys Leu 85 90 95	456
AAA CAT AGG AGC TGC CCT CCT GGA TTT GGA GTG GTG CAA GCT Lys His Arg Ser Cys Pro Pro Gly Phe Gly Val Val Gln Ala 100 105 110	498
GGTACGTGTC AATGTGCAGC AAAATTAATT AGGATCATGC AAAGTCAGAT AGTTGTGACA	558
GTTTAGGAGA ACACTTTTGT TCTGATGACA TTATAGGATA GCAAATTGCA AAGGTAATGA	618
AACCTGCCAG GTAGGTACTA TGTGTCTGGA GTGCTTCCAA AGGACCATTG CTCAGAGGAA	678
TACTTTGCCA CTACAGGGCA ATTTAATGAC AAATCTCAAA TGCAGCAAAT TATTCTCTCA	738
TGAGATGCAT GATGGTTTTT TTTTTTTTT TTAAAGAAAC AAACTCAAGT TGCACTATTG	798
ATAGTTGATC TATACCTCTA TATTTCACTT CAGCATGGAC ACCTTCAAAC TGCAGCACTT	858
TTTGACAAAC ATCAGAAATG TTAATTTATA CCAAGAGAGT AATTATGCTC ATATTAATGA	918
GACTCTGGAG TGCTAACAAT AAGCAGTTAT AATTAATTAT GTAAAAAATG AGAATGGTGA	978
GGGGAATTGC ATTTCATTAT TAAAAACAAG GCTAGTTCTT CCTTTAGCAT GGGAGCTGAG	1038
TGTTTGGGAG GGTAAGGACT ATAGCAGAAT CTCTTCAATG AGCTTATTCT TTATCTTAGA	1098
CAAAACAGAT TGTCAAGCCA AGAGCAAGCA CTTGCCTATA AACCAAGTGC TTTCTCTTTT	1158
GCATTTTGAA CAGCATTGGT CAGGGCTCAT GTGTATTGAA TCTTTTAAAC CAGTAACCCA	1218
CGTTTTTTT CTGCCACATT TGCGAAGCTT CAGTGCAGCC TATAACTTTT CATAGCTTGA	1278
GAAAATTAAG AGTATCCACT TACTTAGATG GAAGAAGTAA TCAGTATAGA TTCTGATGAC	1338
TCAGTTTGAA GCAGTGTTTC TCAACTGAAG CCCTGCTGAT ATTTTAAGAA ATATCTGGAT	1398
TCCTAGGCTG GACTCCTTTT TGTGGGCAGC TGTCCTGCGC ATTGTAGAAT TTTGGCAGCA	1458
CCCCTGGACT CTAGCCACTA GATACCAATA GCAGTCCTTC CCCCATGTGA CAGCCAAAAA	•
TGTCTTCAGA CACTGTCAAA TGTCGCCAGG TGGCAAAATC ACTCCTGGTT GAGAACAGGG	1578
TCATCAATGC TAAGTATCTG TAACTATTTT AACTCTCAAA ACTTGTGATA TACAAAGTCT	1638

AAATTATTAG	ACGACCAATA	CTTTAGGTTT	AAAGGCATAC	AAATGAAACA	TTCAAAAATC	1698
AAAATCTATT	CTGTTTCTCA	AATAGTGAAT	CTTATAAAAT	TAATCACAGA	AGATGCAAAT	1758
TGCATCAGAG	TCCCTTAAAA	TTCCTCTTCG	TATGAGTATT	TGAGGGAGGA	ATTGGTGATA	1818
GTTCCTACTT	TCTATTGGAT	GGTACTTTGA	GACTCAAAAG	CTAAGCTAAG	TTGTGTGTGT	1878
GTCAGGGTGC	GGGGTGTGGA	ATCCCATCAG	ATAAAAGCAA	ATCCATGTAA	TTCATTCAGT	1938
AAGTTGTATA	TGTAGAAAAA	TGAAAAGTGG	GCTATGCAGC	TTGGAAACTA	GAGAATTTTG	1998
AAAAATAATG	GAAATCACAA	GGATCTTTCT	TAAATAAGTA	AGAAAATCTG	TTTGTAGAAT	2058
GAAGCAAGCA	GGCAGCCAGA	AGACTCAGAA	CAAAAGTACA	CATTTTACTC	TGTGTACACT	2118
GGCAGCACAG	TGGGATTTAT	TTACCTCTCC	CTCCCTAAAA	ACCCACACAG	CGGTTCCTCT	2178
TGGGAAATAA	GAGGTTTCCA	GCCCAAAGAG	AAGGAAAGAC	TATGTGGTGT	TACTCTAAAA	2238
AGTATTTAAT	AACCGTTTTG	TTGTTGCTGT	TGCTGTTTTG	AAATCAGATT	GTCTCCTCTC	2298
CATATTTTAT	TTACTTCATT	CTGTTAATTC	CTGTGGAATT	ACTTAGAGCA	AGCATGGTGA	2358
ATTCTCAACT	GTAAAGCCAA	ATTTCTCCAT	CATTATAATT	TCACATTTTG	CCTGGCAGGT	2418
TATAATTTT	ATATTTCCAC	TGATAGTAAT	AAGGTAAAAT	CATTACTTAG	ATGGATAGAT	2478
CTTTTTCATA	AAAAGTACCA	TCAGTTATAG	AGGGAAGTCA	TGTTCATGTT	CAGGAAGGTC	2538
ATTAGATAAA	GCTTCTGAAT	ATATTATGAA	ACATTAGTTC	TGTCATTCTT	AGATTCTTTT	2598
TGTTAAATAA	CTTTAAAAGC	TAACTTACCT	AAAAGAAATA	TCTGACACAT	ATGAACTTCT	2658
CATTAGGATG	CAGGAGAAGA	CCCAAGCCAC	AGATATGTAT	CTGAAGAATG	AACAAGATTC	2718
TTAGGCCCGG	CACGGTGGCT	CACATCTGTA	ATCTCAAGAG	TTTGAGAGGT	CAAGGCGGGC	2778
AGATCACCTG	AGGTCAGGAG	TTCAAGACCA	GCCTGGCCAA	CATGATGAAA	CCCTGCCTCT	2838
ACTAAAAATA	CAAAAATTAG	CAGGGCATGG	TGGTGCATGC	CTGCAACCCT	AGCTACTCAG	2898
GAGGCTGAGA	CAGGAGAATC	TCTTGAACCC	TCGAGGCGGA	GGTTGTGGTG	AGCTGAGATC	2958
CCTCTACTGC	ACTCCAGCCT	GGGTGACAGA	GATGAGACTC	CGTCCCTGCC	GCCGCCCCG	3018
CCTTCCCCCC	CAAAAAGATT	CTTCTTCATG	CAGAACATAC	GGCAGTCAAC	AAAGGGAGAC	3078
CTGGGTCCAG	GTGTCCAAGT	CACTTATTTC	GAGTAAATTA	GCAATGAAAG	AATGCCATGG	3138
AATCCCTGCC	CAAATACCTC	TGCTTATGAT	ATTGTAGAAT	TTGATATAGA	GTTGTATCCC	3198
ATTTAAGGAG	TAGGATGTAG	TAGGAAAGTA	СТАААААСАА	ACACACAAAC	AGAAAACCCT	3258
CTTTGCTTTG	TAAGGTGGTT	CCTAAGATAA	TGTCAGTGCA	ATGCTGGAAA	TAATATTTAA	3318
TATGTGAAGG	TTTTAGGCTG	TGTTTTCCCC	TCCTGTTCTT	TTTTTCTGCC	AGCCCTTTGT	3378
CATTTTTGCA	GGTCAATGAA	TCATGTAGAA	AGAGACAGGA	GATGAAACTA	GAACCAGTCC	3438
ATTTTGCCCC	TTTTTTTTT	TTCTGGTTTT	GGTAAAAGAT	ACAATGAGGT	AGGAGGTTGA	3498
GATTTATAAA	TGAAGTTTAA	TAAGTTTCTG	TAGCTTTGAT	TTTTCTCTTT	CATATTTGTT	3558
ATCTTGCATA	AGCCAGAATT	GGCCTGTAAA	ATCTACATAT	GGATATTGAA	GTCTAAATCT	3618
GTTCAACTAG	CTTACACTAG	ATGGAGATAT	TTTCATATTC	AGATACACTG	GAATGTATGA	3678
TCTAGCCATG	CGTAATATAG	TCAAGTGTTT	GAAGGTATTT	ATTTTTAATA	GCGTCTTTAG	3738
TTGTGGACTG	GTTCAAGTTT	TTCTGCCAAT	GATTTCTTCA	AATTTATCAA	ATATTTTTCC	3798
ATCATGAAGT	AAAATGCCCT	TGCAGTCACC	CTTCCTGAAG	TTTGAACGAC	TCTGCTGTTT	3858
TAAACAGTTT	AAGCAAATGG	TATATCATCT	TCCGTTTACT	ATGTAGCTTA	ACTGCAGGCT	3918



TACGCTTTTG AGTCAGCGGC CAACTTTATT GCCACCTTCA AAAGTTTATT ATAATGTTGT	3978
AAATTTTTAC TTCTCAAGGT TAGCATACTT AGGAGTTGCT TCACAATTAG GATTCAGGAA	4038
AGAAAGAACT TCAGTAGGAA CTGATTGGAA TTTAATGATG CAGCATTCAA TGGGTACTAA	. 4098
TTTCAAAGAA TGATATTACA GCAGACACAC AGCAGTTATC TTGATTTTCT AGGAATAATT	4158
GTATGAAGAA TATGGCTGAC AACACGGCCT TACTGCCACT CAGCGGAGGC TGGACTAATG	4218
AACACCCTAC CCTTCTTTCC TTTCCTCTCA CATTTCATGA GCGTTTTGTA GGTAACGAGA	4278
AAATTGACTT GCATTTGCAT TACAAGGAGG AGAAACTGGC AAAGGGGATG ATGGTGGAAG	4338
TTTTGTTCTG TCTAATGAAG TGAAAAATGA AAATGCTAGA GTTTTGTGCA ACATAATAGT	4398
AGCAGTAAAA ACCAAGTGAA AAGTCTTTCC AAAACTGTGT TAAGAGGGCA TCTGCTGGGA	4458
AACGATTTGA GGAGAAGGTA CTAAATTGCT TGGTATTTTC CGTA GGA ACC CCA GAG Gly Thr Pro Glu 115	4514
CGA AAT ACA GTT TGC AAA AGA TGT CCA GAT GGG TTC TTC TCA AAT GAG Arg Asn Thr Val Cys Lys Arg Cys Pro Asp Gly Phe Phe Ser Asn Glu 120 125 130	4562
ACG TCA TCT AAA GCA CCC TGT AGA AAA CAC ACA AAT TGC AGT GTC TTT Thr Ser Ser Lys Ala Pro Cys Arg Lys His Thr Asn Cys Ser Val Phe 135	4610
GGT CTC CTG CTA ACT CAG AAA GGA AAT GCA ACA CAC GAC AAC ATA TGT Gly Leu Leu Thr Gln Lys Gly Asn Ala Thr His Asp Asn Ile Cys 150	4658
TCC GGA AAC AGT GAA TCA ACT CAA AAA TGT GGA ATA GGTAATTACA Ser Gly Asn Ser Glu Ser Thr Gln Lys Cys Gly Ile 165 170 175	4704
TTCCAAAATA CGTCTTTGTA CGATTTTGTA GTATCATCTC TCTCTCTGAG TTGAACACAA	4764
GGCCTCCAGC CACATTCTTG GTCAAACTTA CATTTTCCCT TTCTTGAATC TTAACCAGCT	4824
AAGGCTACTC TCGATGCATT ACTGCTAAAG CTACCACTCA GAATCTCTCA AAAACTCATC	4884
TTCTCACAGA TAACACCTCA AAGCTTGATT TTCTCTCCTT TCACACTGAA ATCAAATCTT	4944
GCCCATAGGC AAAGGGCAGT GTCAAGTTTG CCACTGAGAT GAAATTAGGA GAGTCCAAAC	5004
TGTAGAATTC ACGTTGTGTG TTATTACTTT CACGAATGTC TGTATTATTA ACTAAAGTAT	5064
ATATTGGCAA CTAAGAAGCA AAGTGATATA AACATGATGA CAAATTAGGC CAGGCATGGT	5124
GGCTTACTCC TATAATCCCA ACATTTTGGG GGGCCAAGGT AGGCAGATCA CTTGAGGTCA	5184
GGATTTCAAG ACCAGCCTGA CCAACATGGT GAAACCTTGT CTCTACTAAA AATACAAAAA	5244
TTAGCTGGGC ATGGTAGCAG GCACTTCTAG TACCAGCTAC TCAGGGCTGA GGCAGGAGAA	5304
TCGCTTGAAC CCAGGAGATG GAGGTTGCAG TGAGCTGAGA TTGTACCACT GCACTCCAGT	5364
CTGGGCAACA GAGCAAGATT TCATCACACA CACACACACA CACACACACA CACACATTAG	5424
AAATGTGTAC TTGGCTTTGT TACCTATGGT ATTAGTGCAT CTATTGCATG GAACTTCCAA	5484
GCTACTCTGG TTGTGTTAAG CTCTTCATTG GGTACAGGTC ACTAGTATTA AGTTCAGGTT	5544
ATTCGGATGC ATTCCACGGT AGTGATGACA ATTCATCAGG CTAGTGTGTG TGTTCACCTT	5604
GTCACTCCCA CCACTAGACT AATCTCAGAC CTTCACTCAA AGACACATTA CACTAAAGAT	5664
GATTTGCTTT TTTGTGTTTA ATCAAGCAAT GGTATAAACC AGCTTGACTC TCCCCAAACA	5724
GTTTTTCGTA CTACAAAGAA GTTTATGAAG CAGAGAAATG TGAATTGATA TATATATGAG	5784
ATTCTAACCC AGTTCCAGCA TTGTTTCATT GTGTAATTGA AATCATAGAC AAGCCATTTT	5844
AGCCTTTGCT TTCTTATCTA AAAAAAAAA AAAAAAAATG AAGGAAGGGG TATTAAAAAGG	5904

AGTGATCAAA TTTTAACATT CTCTTTAATT AATTCATTTT TAATTTTACT TTTTTTCATT	5964
TATTGTGCAC TTACTATGTG GTACTGTGCT ATAGAGGCTT TAACATTTAT AAAAACACTG	6024
TGAAAGTTGC TTCAGATGAA TATAGGTAGT AGAACGGCAG AACTAGTATT CAAAGCCAGG	6084
TCTGATGAAT CCAAAAACAA ACACCCATTA CTCCCATTTT CTGGGACATA CTTACTCTAC	6144
CCAGATGCTC TGGGCTTTGT AATGCCTATG TAAATAACAT AGTTTTATGT TTGGTTATTT	6204
TCCTATGTAA TGTCTACTTA TATATCTGTA TCTATCTCTT GCTTTGTTTC CAAAGGTAAA	6264
CTATGTGTCT AAATGTGGGC AAAAAATAAC ACACTATTCC AAATTACTGT TCAAATTCCT	6324
TTAAGTCAGT GATAATTATT TGTTTTGACA TTAATCATGA AGTTCCCTGT GGGTACTAGG	6384
TAAACCTTTA ATAGAATGTT AATGTTTGTA TTCATTATAA GAATTTTTGG CTGTTACTTA	6444
TTTACAACAA TATTTCACTC TAATTAGACA TTTACTAAAC TTTCTCTTGA AAACAATGCC	6504
CAAAAAAGAA CATTAGAAGA CACGTAAGCT CAGTTGGTCT CTGCCACTAA GACCAGCCAA	6564
CAGAAGCTTG ATTTTATTCA AACTTTGCAT TTTAGCATAT TTTATCTTGG AAAATTCAAT	6624
TGTGTTGGTT TTTTGTTTTT GTTTGTATTG AATAGACTCT CAGAAATCCA ATTGTTGAGT	6684
AAATCTTCTG GGTTTTCTAA CCTTTCTTTA GAT GTT ACC CTG TGT GAG GAG GCA Asp Val Thr Leu Cys Glu Glu Ala 180	6738
TTC TTC AGG TTT GCT GTT CCT ACA AAG TTT ACG CCT AAC TGG CTT AGT Phe Phe Arg Phe Ala Val Pro Thr Lys Phe Thr Pro Asn Trp Leu Ser 185 200	6786
GTC TTG GTA GAC AAT TTG CCT GGC ACC AAA GTA AAC GCA GAG AGT GTA Val Leu Val Asp Asn Leu Pro Gly Thr Lys Val Asn Ala Glu Ser Val 205 210 215	6834
GAG AGG ATA AAA CGG CAA CAC AGC TCA CAA GAA CAG ACT TTC CAG CTG Glu Arg Ile Lys Arg Gln His Ser Ser Gln Glu Gln Thr Phe Gln Leu 220 225 230	6882
CTG AAG TTA TGG AAA CAT CAA AAC AAA GAC CAA GAT ATA GTC AAG AAG Leu Lys Leu Trp Lys His Gln Asn Lys Asp Gln Asp Ile Val Lys Lys 235 240 245	6930
ATC ATC CAA GGTAATTACA TTCCAAAATA CGTCTTTGTA CGATTTTGTA Ile Ile Gln 250	6979
GTATCATCTC TCTCTCTGAG TTGAACACAA GGCCTCCAGC CACATTCTTG GTCAAACTTA	7039
CATTTTCCCT TTCTTGAATC TTAACCAGCT AAGGCTACTC TCGATGCATT ACTGCTAAAG	7099
CTACCACTCA GAATCTCTCA AAAACTCATC TTCTCACAGA TAACACCTCA AAGCTTGATT	7159
TTCTCTCCTT TCACACTGAA ATCAAATCTT GCCCATAGGC AAAGGGCAGT GTCAAGTTTG	7219
CCACTGAGAT GAAATTAGGA GAGTCCAAAC TGTAGAATTC ACGTTGTGTG TTATTACTTT	7279
CACGAATGTC TGTATTATTA ACTAAAGTAT ATATTGGCAA CTAAGAAGCA AAGTGATATA	7339
AACATGATGA CAAATTAGGC CAGGCATGGT GGCTTACTCC TATAATCCCA ACATTTTGGG	7399
GGGCCAAGGT AGGCAGATCA CTTGAGGTCA GGATTTCAAG ACCAGCCTGA CCAACATGGT	74,59
GAAACCTTGT CTCTACTAAA AATACAAAAA TTAGCTGGGC ATGGTAGCAG GCACTTCTAG	7519
TACCAGCTAC TCAGGGCTGA GGCAGGAGAA TCGCTTGAAC CCAGGAGATG GAGGTTGCAG	7579
TGAGCTGAGA TTGTACCACT GCACTCCAGT CTGGGCAACA GAGCAAGATT TCATCACACA	7639
CACACACAC CACACACAC CACACATTAG AAATGTGTAC TTGGCTTTGT TACCTATGGT	7699
ATTAGTGCAT CTATTGCATG GAACTTCCAA GCTACTCTGG TTGTGTTAAG CTCTTCATTG	7759

GGTACAGGTC	ACTAGTAT	TA AGTTC	AGGTT	ATTCGG	ATGC	ATTC	CACGGT	AGTG	ATGACA	7	819	
ATTCATCAGG	CTAGTGTGT	rg TGTTC	ACCTT	GTCACTO	CCCA	CCAC	TAGACT	AATC	rcagac	7	879	
CTTCACTCAA	AGACACATT	га саста	AAGAT	GATTTGO	CTTT	TTTG	TGTTTA	ATCA	AGCAAT	7	939	
GGTATAAACC	AGCTTGACT	rc TCCCC	AAACA	GTTTTTC	CGTA	CTAC	AAAGAA	GTTT	ATGAAG	7	999	
CAGAGAAATG	TGAATTGAT	ГА ТАТАТ	ATGAG	ATTCTA	ACCC	AGTT	CCAGCA	TTGT	TTCATT	. 8	059	
GTGTAATTGA	AATCATAGA	AC AAGCC	ATTTT	AGCCTTT	GCT	TTCT	TATCTA	AAAA	AAAAA	8	119	
AAAAAAAATG	AAGGAAGG	GG TATTA	AAAGG	AGTGATO	CAAA	TTTT	AACATT	CTCT	TTAATT	8	179	
AATTCATTTT	TAATTTTAC	CT TTTTT	TCATT	TATTGTO	CAC	TTAC	TATGTG	GTAC:	GTGCT	8	239	
ATAGAGGCTT	TAACATTT	AAAAA TA	CACTG	TGAAAGT	TGC	TŤCA	GATGAA	TATA	GGTAGT	8	299	
AGAACGGCAG	AACTAGTA	TT CAAAG	CCAGG	TCTGATO	TAAE	CCAA	AAACAA	ACAC	CCATTA	8	359	
CTCCCATTTT	CTGGGACAT	TA CTTAC	TCTAC	CCAGATO	SCTC	TGGG	CTTTGT	AATG	CCTATG	8	3419	
TAAATAACAT	AGTTTTATO	GT TTGGT	TATTT	TCCTATO	STAA	TGTC	TACTTA	TATA	CTGTA	8	479	
TCTATCTCTT	GCTTTGTTT	CC CAAAG	GTAAA	CTATGTO	STCT	TAAA	GTGGGC	AAAA	AATAAC	8	539	
ACACTATTCC	AAATTACTO	TCAAA	TTCCT	TTAAGTO	CAGT	GATA	ATTATT	TGTT	TTGACA	8	599	
TTAATCATGA	AGTTCCCTC	GT GGGTA	CTAGG	TAAACCI	ATT	ATAG	AATGTT	AATG:	TTTGTA	8	659	
TTCATTATAA	GAATTTTT	GG CTGTT	ACTTA	TTTACA	ACAA	TATT	TCACTC	TAAT	TAGACA	8	719	
TTTACTAAAC	TTTCTCTTC	GA AAACA	ATGCC	CAAAAA	AGAA	CATT	AGAAGA	CACG'	TAAGCT	8	3779	
CAGTTGGTCT	CTGCCACTA	AA GACCA	GCCAA	CAGAAGO	CTTG	ATTT	TATTCA	AACT	TTGCAT	. 8	839	
TTTAGCATAT	TTTATCTTC	GG AAAAT	TCAAT	TGTGTTG	GTT	TTTT	GTTTTT	GTTT	GTATTG	8	899	
AATAGACTCT	CAGAAATCO	CA ATTGT	TGAGT	AAATCTI	CTG	GGTT	TTCTAA	CCTT	CTTTA	8	959	
GAT ATT GAC Asp Ile Asp			Ser V					y His		9		
AAC CTC ACC Asn Leu Thr 270						Glu				9	055	
AAG AAA GTG Lys Lys Val 285										9	103	
CCC AGT GAC Pro Ser Asp 300										. 9	151	
GGC GAC CAA Gly Asp Gln										9	199	
AAG ACG TAC Lys Thr Tyr			Thr V					Lys		9	247	
ATC AGG TTC Ile Arg Phe 350	Leu His					Leu				··9	295	
TTT TTA GAA Phe Leu Glu 365					Ser					. 9	343	
TTA TAACTGG Leu 380	AAA TGGCO	CATTGA G	CTGTTT	CCT CAC	TTAA	'GGC ·	GAGATC	CCAT		9	396	
GGATGAGTAA	ACTGTTTCT	C AGGCA	CTTGA	GGCTTTC	AGT	GÀTA'	TCTTTC	TCATI	TACCAG	. 9	456	



TGACTAATTT TGCCACAGGG	TACTAAAAGA	AACTATGATG	TGGAGAAAGG	ACTAACATCT	9516
CCTCCAATAA ACCCCAAATG	GTTAATCCAA	CTGTCAGATC	TGGATCGTTA	TCTACTGACT	95,76
ATATTTCCC TTATTACTGC	TTGCAGTAAT	TCAACTGGAA	ATTAAAAAAA	AAAAACTAGA	9636
CTCCACTGGG CCTTACTAAA	TATGGGAATG	TCTAACTTAA	ATAGCTTTGG	GATTCCAGCT	9696
ATGCTAGAGG CTTTTATTAG	AAAGCCATAT	TTTTTTCTGT	AAAAGTTACT	AATATATCTG	9756
TAACACTATT ACAGTATTGC	TATTTATATT	CATTCAGATA	TAAGATTTGG	ACATATTATC	9816
ATCCTATAAA GAAACGGTAT	GACTTAATTT	TAGAAAGAAA	ATTATATTCT	GTTTATTATG	9876
ACAAATGAAA GAGAAAATAT	ATATTTTTAA	TGGAAAGTTT	GTAGCATTTT	TCTAATAGGT	9936
ACTGCCATAT TTTTCTGTGT	GGAGTATTTT	TATAATTTTA	TCTGTATAAG	CTGTAATATC	9996.
ATTTTATAGA AAATGCATTA	TTTAGTCAAT	TGTTTAATGT	TGGAAAACAT	ATGAAATATA	10056
AATTATCTGA ATATTAGATG	CTCTGAGAAA	TTGAATGTAC	CTTATTTAAA	AGATTTTATG	10116
GTTTTATAAC TATATAAATG	ACATTATTAA	AGTTTTCAAA	TTATTTTTTA	TTGCTTTCTC	10176
TGTTGCTTTT, ATTT					10190

(2) INFORMATION FOR SEQ ID NO:106:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 391 amino acids (B) TYPE: amino acid

 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:106:

Phe Leu Asp Ile Ser Ile Lys Trp Thr Thr Gln Glu Thr Phe Pro Pro -11 -10 -5 1 5 Lys Tyr Leu His Tyr Asp Glu Glu Thr Ser His Gln Leu Leu Cys Asp 10 15 20Lys Cys Pro Pro Gly Thr Tyr Leu Lys Gln His Cys Thr Ala Lys Trp 25 30 35 Lys Thr Val Cys Ala Pro Cys Pro Asp His Tyr Tyr Thr Asp Ser Trp 40 45His Thr Ser Asp Glu Cys Leu Tyr Cys Ser Pro Val Cys Lys Glu Leu 55 60 65Gln Tyr Val Lys Gln Glu Cys Asn Arg Thr His Asn Arg Val Cys Glu 70 75 80 . 85 Cys Lys Glu Gly Arg Tyr Leu Glu Ile Glu Phe Cys Leu Lys His Arg 90 95 100 Ser Cys Pro Pro Gly Phe Gly Val Val Gln Ala Gly Thr Pro Glu Arg 105 110 115Asn Thr Val Cys Lys Arg Cys Pro Asp Gly Phe Phe Ser Asn Glu Thr 120 125 Ser Ser Lys Ala Pro Cys Arg Lys His Thr Asn Cys Ser Val Phe Gly 135 140 Leu Leu Leu Thr Gln Lys Gly Asn Ala Thr His Asp Asn Ile Cys Ser 150 160 165Gly Asn Ser Glu Ser Thr Gln Lys Cys Gly Ile Asp Val Thr Leu Cys 170 175

Glu Glu Ala Phe Phe Arg Phe Ala Val Pro Thr Lys Phe Thr Pro Asn 185 190 195

Trp Leu Ser Val Leu Val Asp Asn Leu Pro Gly Thr Lys Val Asn Ala 200 205 210 Glu Ser Val Glu Arg Ile Lys Arg Gln His Ser Ser Gln Glu Gln Thr 215 220 225 Phe Gln Leu Leu Lys Leu Trp Lys His Gln Asn Lys Asp Gln Asp Ile 230 240 245 Val Lys Lys Ile Ile Gln Asp Ile Asp Leu Cys Glu Asn Ser Val Gln 255 Arg His Ile Gly His Ala Asn Leu Thr Phe Glu Gln Leu Arg Ser Leu 265 270 275 Met Glu Ser Leu Pro Gly Lys Lys Val Gly Ala Glu Asp Ile Glu Lys 280 285 290Thr Ile Lys Ala Cys Lys Pro Ser Asp Gln Ile Leu Lys Leu Leu Ser 295 300 305 Leu Trp Arg Ile Lys Asn Gly Asp Gln Asp Thr Leu Lys Gly Leu Met His Ala Leu Lys His Ser Lys Thr Tyr His Phe Pro Lys Thr Val Thr 330 335 340 Gln Ser Leu Lys Lys Thr Ile Arg Phe Leu His Ser Phe Thr Met Tyr 345 350 355

Lys Leu Tyr Gln Lys Leu Phe Leu Glu Met Ile Gly Asn Gln Val Gln 360 365 370Ser Val Lys Ile Ser Cys Leu 375 380

(2) INFORMATION FOR SEQ ID NO:107:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY:

(B) LOCATION: 1..20

(D) OTHER INFORMATION: /note= "synthetic DNA (primer 2F)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:107:

CARGARCARA CNTTYCARYT

20

(2) INFORMATION FOR SEQ ID NO:108:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 21 base pairs

(B)

TYPE: nucleic acid STRANDEDNESS: single

(D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: -

(B) LOCATION: 1..21

(D) OTHER INFORMATION: /note= "synthetic DNA (primer 3R)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:108:

YTTRTACATN GTRAANSWRT G

21